

## REFERENCES

- Abramowicz, D. (1990) Aerobic and anaerobic biodegradation of PCBs: A review. *Critical Reviews in Biotechnology*. 10(3):241-251.
- Achman, D.A.; Hornbuckle, K.C.; Eisenreich, S.J. (1993) Volatilization of polychlorinated biphenyls from Green Bay, Lake Michigan. *Environ. Sci. Technol.* 27(1):75-87.
- Addink, R.; Van Bavel, B.; Visser, R.; Wever, H.; Slot, P.; Olie, K. (1990) Surface catalyzed formation of polychlorinated dibenzo-p-dioxins/dibenzofurans during municipal waste incineration. *Chemosphere* 20(10-12):1929-1934.
- Addink, R.; Drijver, D.J.; Olie, K. (1991) Formation of polychlorinated dibenzo-p-dioxins/dibenzofurans in the carbon/fly ash system. *Chemosphere* 23(8-1):1205-1211.
- Addink, R.; Olie, K. (1995) Mechanisms of formation and destruction of polychlorinated dibenzo-p-dioxins and dibenzofurans in heterogeneous systems. *Environ. Sci. Technol.* 29: 1425-1435.
- Addink, R.; Bakker, W.C.M.; Olie, K. (1995) Influence of HCl and Cl<sub>2</sub> on the formation of polychlorinated dibenzo-p-dioxins/dibenzofurans in a carbon/fly ash mixture. *Environ. Sci. Technol.* 29:2055-2058.
- Addink R.; Altwicker, E.R. (1999) Formation experiments of polychlorinated dibenzo-p-dioxins/dibenzofurans with Na <sup>37</sup>Cl. *Organohalogen Compounds* 4:69-72.
- Adriaens, P.; Grbic-Galic, D. (1992) Effect of cocontaminants and concentration on the anaerobic biotransformation of PCDD/F in methanogenic river sediments. *Organohalogen Compounds* 8:209-212.
- Adriaens, P.; Grbic-Galic, D. (1993) Reductive dechlorination of PCDD/F by anaerobic cultures and sediments. *Organohalogen Compounds* 12:107-110.
- Adriaens, P.; Fu, Q.; Grbic-Galic, D. (1995) Bioavailability and transformation of highly chlorinated dibenzo-p-dioxins and dibenzofurans in anaerobic soils and sediments. *Environ. Sci. Technol.* 29(9):2252-2260.
- Advanced Technology Systems, Inc. (1995) Report on measurement of hazardous air pollutants from aluminum melt furnace operations at Ravenswood Aluminum Corporation. Monroeville, PA: Advanced Technology Systems, Inc.
- AGES. Applied Geotechnical and Environmental Services Corp. (1992) Source sampling report - comprehensive emissions testing; blast furnace, May/June 1992, Franklin Smelting & Refining Corp. Valley Forge, PA: AGES. Report No. 42614.01-01.

- AHA. American Hospital Association. (1995) Comments by the American Hospital Association in review of *Estimating Exposures to Dioxin-Like Compounds* (EPA/600/688/005Ca-c; June 1994; External Review Draft). Public Comment Number EXP-48-A1, received January 17, 1995.
- AHA. American Hospital Association. (1997) Letter dated January 20, 1997, from V. James McLarney, Associate Vice President, American Hospital Association (AHA), Chicago, IL, to Mr. John Schaum, National Center for Environmental Assessment, U.S. Environmental Protection Agency, Washington, D.C. (with attachments).
- Ahlborg, V.G.; Becking, G.C.; Birnbaum, L.S.; Brower, A.; Derks, H.J.G.M.; Feeley, M.; Golor, C.; Hanberg, A.; Larsen, J.C.; Liem, A.K.D.; Safe, S.H.; Schlatter, C.; Waern, F.; Younes, M.; Yrænkeikki, E. (1994) Toxic equivalency factors for dioxin-like PCBs. *Chemosphere* 28(6):1049-1067.
- Ahling, B.; Bjorseth, A.; Lunde, G. (1978) Formation of chlorinated hydrocarbons during combustion of polyvinyl chloride. *Chemosphere* 7:799-806.
- Ahling, B.; Lindskog, A. (1982) Emission of chlorinated organic substances from combustion. In: Hutzinger, O.; Safe, S., eds, *Chlorinated dioxins and related compounds, impact on the environment*. New York, NY: Pergamon Press.
- AISI. American Iron and Steel Institute. (1990) Annual statistical report - 1989. Washington, D.C.: American Iron and Steel Institute.
- AISI. American Iron and Steel Institute. (1995) Annual statistical report - 1994. Washington, D.C.: American Iron and Steel Institute.
- Aittola, J.; Paasivirta, J.; Vattulainen, A. (1992) Measurements of organochloro compounds at a metal reclamation plant. *Organohalogen Compounds* 9:9-12.
- Aittola, J.P. (1993) Environmental emissions from landfill fires, preliminary investigation. *Viatek Topiola Og*, Espoo, Finland.
- Albro, P.W.; Parker, C.E. (1979) Comparison of the compositions of Aroclor 1242 and Aroclor 1016. *Journal of Chromatography* 169:161-166.
- Albro, P.W.; Corbett, J.T.; Schroeder, J.L. (1981) Quantitative characterization of polychlorinated biphenyl mixtures (Aroclors® 1248, 1254, and 1260) by gas chromatography using capillary columns. *Journal of Chromatography* 205:103-111.
- Altwicker, E.R., Konduri, R.; Lin C.; Milligan, M.S. (1993) Formation of precursors to chlorinated dioxin/furans under heterogeneous conditions. *Combust. Sci. And Tech.* 88:349-368.

- Altwicker, E.R.; Milligan, M.S. (1993) Formation of dioxins: Competing rates between chemically similar precursors and de novo reactions. *Chemosphere* 27 (1-3): 301-307.
- Amendola, G.A.; Barna, D.R. (1989) USEPA petroleum refinery dioxin screening survey: BP Oil-Lima, Ohio Refinery. Westlake, OH: U.S. Environmental Protection Agency, Region 5, Environmental Sciences Division.
- American Forest & Paper Association (1997) Paper, paperboard & wood pulp statistics: data through 1996. Washington, DC: American Forest & Paper Association.
- American Paper Institute (1992) Statistics of paper, paperboard & wood pulp: data through 1991. New York, NY: American Paper Institute.
- American Society of Mechanical Engineers (ASME) (1995) The relationship between chlorine in waste streams and dioxin emissions from waste combustor stacks. ASME, 45 East 4<sup>th</sup> Street, NY, NY. Report number CRTD-Vol. 36.
- American Wood Preservers Institute (1977) Pentachlorophenol--a wood preservative. McLean, VA: American Wood Preservers Institute. March 1, 1977.
- American Wood Preservers Institute (1995) 1994 Wood preserving industry production statistical report. McLean, VA: American Wood Preservers Institute.
- Atkinson, R. (1987) Estimation of OH radical reaction rate constants and atmospheric lifetimes for polychlorobiphenyls, dibenzo-p-dioxins, and dibenzofurans. *Environ. Sci. Technol.* 21:305-307.
- Atkinson, R. (1991) Atmospheric lifetimes of dibenzo-p-dioxins and dibenzofurans. *The Science of the Total Environment.* 104:17-33.
- Atkinson, R. (1995) Personal communication with Greg Schweer (Versar, Inc.): estimated congener-specific gas phase reaction rate constants of OH radical with PCBs, PCDDs, PCDFs.
- ATSDR. Agency for Toxic Substances and Disease Registry (1993) Toxicological profile for selected PCBs (Aroclor-1260, -1254, -1248, -1242, -1232, -1221, and -1016). Atlanta, GA: Public Health Service, ATSDR. NTIS Publication No. PB93-182517.
- Ayris, S.; Harrad, S. (1997) Factors affecting the volatilization of PCBs from soil. *Organohalogen Compounds* 33:250-254.
- BAAQMD. Bay Area Air Quality Management District. (1996) Air emissions of dioxins in the Bay area. San Francisco, CA: Bay Area Air Quality Management District. March 27, 1996.
- Bacci, E.; Gaggi, C. (1985). Polychlorinated biphenyls in plant foliage: translocation or volatilization from contaminated soils? *Bulletin of Environmental Contamination and Toxicology* 35:673-681.

- Bacci, E.; Calamari, D.; Gaggi, C.; Vighi, M. (1990a) Bioconcentration of organic chemical vapors in plant leaves: experiments measurements and correlation. *Environ. Sci. Technol.* 24(6):885-889.
- Bacci, E.; Calamari, D.; Gaggi, C.; Vighi, M. (1990b) Bioconcentration of organic chemical vapors in plant leaves: the azalea model. *Chemosphere* 21(4-5):525-535.
- Bacci, E.; Cerejeira, M.J.; Gaggi, C.; Chemello, G.; Calamari, D.; Vighi, M. (1992) Chlorinated dioxins: volatilization from soils and bioconcentration in plant leaves. *Bulletin of Environmental Contamination and Toxicology* 48:401-408.
- Bacher, R.; Swerev, M.; Ballschmiter, K. (1992) Profile and pattern of monochloro-through octachlorodibenzodioxins and -dibenzofurans in chimney deposits from wood burning. *Environ. Sci. Technol.* 26(8):1649-1655.
- Baker, J.E.; Eisenreich, S.J. (1990) Concentrations and fluxes of polycyclic aromatic hydrocarbons and polychlorinated biphenyls across the air-water interface of Lake Superior. *Environ. Sci. Technol.* 24(3):342-352.
- Ball, M.; Pöpke, O.; Lis, A. (1990) Polychloridibenzodioxine und polychlordibenzofurane in cigaretterrauch. *Beiträge zur Tabakforschung International* 14(6):393-402.
- Ballschmiter, K.; Buchert, H.; Niemczyk, R.; Munder, A.; Swerev, M. (1986) Automobile exhausts versus municipal waste incineration as sources of the polychloro-dibenzodioxins (PCDD) and -furans (PCDF) found in the environment. *Chemosphere* 15(7):901-915.
- Barkovskii, A.L.; Adriaens, P. (1995) Reductive dechlorination of tetrachloro-dibenzo-p-dioxin partitioned from Passaic River sediments in an autochthonous microbial community. *Organohalogen Compounds* 24:17-21.
- Barkovskii, A.L.; Adriaens, P. (1996) Microbial dechlorination of historically present and freshly spiked chlorinated dioxins and diversity of dioxin-dechlorinating populations. *Applied and Environmental Microbiology* 62(12):4556-4562.
- Battelle (1999) Source characterization for sewage sludge incinerator emissions. Volume I. Draft test report. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA Contract No. 68-D-99-009, Work Assignment 1-05.
- Beard, A.; Krishnat, P.N.; Karasek, F.W. (1993) Formation of polychlorinated dibenzofurans by chlorination and de novo reactions with FeCl<sub>3</sub> in petroleum refining processes. *Environ. Sci. Technol.* 27(8):1505-1511.
- Bedard, D.L.; Unterman, R.; Bopp, L.H.; Brennan, M.J.; Haberl, M.L.; Johnson, C. (1986) Rapid assay for screening and characterizing microorganisms for the ability to degrade polychlorinated biphenyls. *Applied and Environmental Microbiology* 51(4):761-768.

- Bedard, D.L.; Smullen, L.A.; DeWeerd, K.A.; Dietrich, D.K.; Frame, G.M.; May, R.J.; Principe, J.M.; Rouse, T.O.; Fessler, W.A.; Nicholson, J.S. (1995) Chemical activation of microbially-mediated PCB dechlorination: a field study. *Organohalogen Compounds* 24:23-28.
- Bedard, D.L.; May, R.J. (1996) Characterization of the polychlorinated biphenyls in the sediments of Woods Pond: evidence for microbial dechlorination of Aroclor 1260 in situ. *Environ. Sci. Technol.* 30(1):237-245.
- Behrooz G.S.; Altwicker, E.R. (1995) Formation of polychlorinated dioxins, furans, benzenes and phenols in the post-combustion region of a heterogeneous combustor: Effect of bed material and post-combustion temperature. *Environ. Sci. Technol.* 29:1156-1162.
- Behrooz G.S.; Altwicker, E.R. (1996) Rapid formation of polychlorinated dioxins/furans during the heterogeneous combustion of 1,2-dichlorobenzene and 2,4-dichlorophenol. *Chemosphere* 32 (1):133-144.
- Berenyi, E.B.; Gould, R.N.(1993) Municipal waste combustion in 1993. *Waste Age* 24:51-56.
- Berenyi, E.B. (1993) A decade of municipal waste combustion in the United States: prospects and problems. In: *Municipal waste combustion, proceedings of an international specialty conference of the Air and Waste Management Association*. Williamsburg, Va; March 1993. pp. 51-66.
- Bergström, J.; Björner, B. (1992) Dioxiner ock bränder vid ovfallsuplag. Mamo, Miljökonserterna i Studsvik AB. Stiftelsen reforsk. FoU nr 68. 94 p. (English summary).
- Bingham, A.G.; Edmunds, C.J.; Graham, B.W.; Jones, M.T. (1989) Determination of PCDDs and PCDFs in car exhaust. *Chemosphere* 19(1-6):669-673.
- Birmingham, B. (1990) Analysis of PCDD and PCDF patterns in soil samples: use in the estimation of the risk of exposure. *Chemosphere* 20(7-9):807-814.
- Blumenstock, M.; Zimmermann, R.; Schraumm, L-W; Kaune, A.; Henkelmann, B.; Kettrup, A. (1998) Presence of polychlorinated dibenzo-p-dioxins (PCDD), dibenzofurans (PCDFs), biphenyls (PCB), chlorinated benzenes (PCBz) and polycyclic aromatic hydrocarbons (PAH) under various combustion conditions in a post combustion chamber. *Organohalogen Compounds* 36:59-63.
- Boers, J.P.; de Leer, E.W.B.; Gramberg, L.; de Koning, J. (1993) Levels of coplanar PCBs in flue gases of high temperature processes and their occurrence in environmental samples. *Organohalogen Compounds* 11:233-236.

- Born, J.G.P.; Mulder, P.; Louw, R. (1993) Fly ash mediated reactions of phenol and monochlorophenols: Oxychlorination, deep oxidation, and condensation. *Environ. Sci. Technol.* 27: 1849-1863.
- Boschi, G.; Cocheo, V.; Giannandrea, G.; Magagni, A. (1992) Hospital and municipal solid waste incinerators: Correlation between PVC present in waste feed and emitted organic micropollutants. *Organohalogen Compounds* 9:37-38.
- Bowes, G.W.; Mulvihill, M.J.; Simoneit, B.R.T.; Burlingame, A.L.; Risebrough, R.W. (1975a) Identification of chlorinated dibenzofurans in American polychlorinated biphenyls. *Nature* 256:305-307.
- Bowes, G.W.; Mulvihill, M.J.; DeCamp, M.R.; Kende, A.S. (1975b) Gas chromatographic characteristics of authentic chlorinated dibenzofurans; identification of two isomers in American and Japanese polychlorinated biphenyls. *J. Agric. Food Chem.* 23(6):1222-1223.
- Bramley, M.J. (1998) Dioxin and hexachlorobenzene releases from magnesium production in North America: lessons from Noranda's project in Asbestos, Quebec. Greenpeace Canada.
- Bremmer, H.J.; Troost, L.M.; Kuipers, G.; DeKoning, J.; Sein, A.A. (1994) Emissions of dioxins in The Netherlands. National Institute of Public Health and Environmental Protection (RIVM) and Netherlands Organization for Applied Scientific Research (TNO). Report No. 770501018.
- Bröker, G.; Geueke, K.J.; Hiester, E.; Niesenhaus, H. (1992) Emission polychlorierter dibenzo-p-dioxins und -furane aus hausbrand-feuerungen. Essen, Germany: Landesanstalt Für Immissionsschutz Nordrhein-Westfalen. ISSN 0720-8499.
- Brown, J.F. (1994) Determination of PCB metabolic, excretion, and accumulation rates for use as indicators of biological response and relative risk. *Environ. Sci. Technol.* 28(13):2295-2305.
- Brown, J.F.; Bedard, D.L.; Brennan, M.J.; Carnahan, J.C.; Feng, H.; Wagner, R.E. (1987) Polychlorinated biphenyl dechlorination in aquatic sediments. *Science* 236:709-712.
- Brown, J.F.; Carnahan, J.C.; Dorn, S.B.; Groves, J.T.; Ligon, W.V., May, R.J.; Wagner, R.E.; Hamilton, S.B. (1988) Levels of bioactive PCDF congeners in PCB dielectric fluids from capacitors and transformers. *Chemosphere* 17(9):1697-1702.
- Brown, J.F.; Frame, G.M.; Olson, D.R.; Webb, J.L. (1995) The sources of the coplanar PCBs. *Organohalogen Compounds* 26:427-430.
- Bruce, K.R.; Beach, L.O.; Gullet, R.K. (1991) The role of gas-phase Cl<sub>2</sub> in the formation of PCDD/PCDF during waste combustion. *Waste Management* 11:97-102.

- Brunner, C.R. (1984) Incineration systems, selection and design. New York, NY: Van Nostrand Reinhold Co.
- Brunner, C.R. (1992) Sewage sludge. In: Buonicore, A.J., Davis, W.T., eds., Air pollution engineering manual. Air and Waste Management Association. New York, NY: Van Nostrand Reinhold. pp. 296-311.
- Bruzy, L.P.; Hites, R.A. (1995) Estimating the atmospheric deposition of polychlorinated dibenzo-p-dioxins and dibenzofurans from soil. Environ. Sci. Technol. 29:2090-2098.
- Bryant, J.G. (1993) Chlorinated benzenes. In: Kirk-Othmer Encyclopedia of Chemical Technology. 4th ed. Vol. 6. pp. 87-100.
- Buckland, S.J.; Dye, E.A., Leathem, S.V.; Taucher, J.A. (1994) The levels of PCDDs and PCDFs in soil samples collected from conservation areas following brush fires. Organohalogen Compounds 20:85-89.
- Buekens, A.; Stieglitz, L.; Huang, H.; Dinova, C.; Cornelis, E. (1997) Preliminary investigation of formation mechanism of chlorinated dioxins and furans in industrial and metallurgical processes. Organohalogen Compounds 31:516-520.
- Bumb, R.R.; Crummett, W.B.; Cutie, S.S.; Gledhill, J.R.; Hummel, R.H.; Kagel, R.O.; Lamparski, L.L.; Luoma, E.V.; Miller, D.L.; Nestrick, T.J.; Shadoff, L.A.; Stehl, R.H.; Woods, J.S. (1980) Trace chemistries of fire: a source of chlorinated dioxins. Science 210(4468):385-390.
- Buonicore, A.J. (1992a) Control of gaseous pollutants. In: Buonicore, A.J., Davis, W.T., eds., Air pollution engineering manual. Air and Waste Management Association. New York, NY: Van Nostrand Reinhold.
- Buonicore, A.J. (1992b) Medical waste incineration. In: Buonicore, A.J., Davis, W.T., eds., Air pollution engineering manual, Air and Waste Management Association. New York, NY: Van Nostrand Reinhold.
- Burton, B.K.; Kiser, J.V.L. (1993) Status and directions of the U.S. municipal waste combustion industry. In: Municipal waste combustion, proceedings of an international specialty conference of the Air and Waste Management Association. Williamsburg, Va.; March 1993. pp. 3-11.
- Buser, H.R.; Bosshardt, H.P. (1976) Determination of polychlorinated dibenzo-p-dioxins and dibenzofurans in commercial pentachlorophenols by combined gas chromatography-mass spectrometry. Journal of the AOAC 59(3):562-569.
- Buser, H.R. (1979) Formation of polychlorinated dibenzofurans (PCDFs), and dibenzo-p-dioxins (PCDDs) from the pyrolysis of chlorobenzenes. Chemosphere 8:415-424.

- Cains, P.W.; Dyke, P. (1994) Emissions of chlorinated dibenzodioxins and dibenzofurans from waste combustion plants in the UK. *Organohalogen Compounds* 20:271-276.
- Calamari, D.; Bacci, E.; Focardi, S.; Gaggi, C.; Morosini, M.; Vighi, M. (1991) Role of plant biomass in the global environmental partitioning of chlorinated hydrocarbons. *Environ. Sci. Technol.* 25(8):1489-95.
- Calcagni, J.; Ciolek, M.; Mulrine, P. (1998) Dioxin emissions from U.S. sinter plants. Abstract. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.
- California Regional Water Quality Control Board (CRWQCB) (1996) Memorandum to David Cleverly (U.S. Environmental Protection Agency) from Lila Tang (California Regional Water Quality Control Board).
- Capes, C.E. (1983) Size enlargement. In: Kirk-Othmer Encyclopedia of Chemical Technology. 3rd ed. 21:77-105. New York, NY: John Wiley and Sons.
- CARB (California Air Resources Board) (1987a) Determination of PCDD and PCDF emissions from motor vehicles. Draft report. October 1987. Test Report No. C-86-029.
- CARB (California Air Resources Board) (1990a) ARB evaluation test conducted on a hospital waste incinerator at Los Angeles Co. - USC Medical Center Los Angeles, California. Engineering Evaluation Branch, Monitoring and Laboratory Division. Test Report C-87-122.
- CARB (California Air Resources Board) (1990b) Evaluation on a woodwaste fired incinerator at Koppers Company, Oroville, California. Test Report No. C-88-065. Engineering Evaluation Branch, Monitoring and Laboratory Division. May 29, 1990.
- CARB (California Air Resources Board) (1990c) Evaluation test on two propane fired crematories at Camellia Memorial Lawn Cemetery. Test Report No. C-90-004. Engineering Evaluation Branch, Monitoring and Laboratory Division. Preliminary Draft.
- CARB (California Air Resources Board) (1990d) Compliance testing for non-criteria pollutants at a landfill flare. Confidential Report No. ERC-2. Engineering Evaluation Branch, Monitoring and Laboratory Division. [As reported in U.S. EPA, 1997b.]
- CARB (California Air Resources Board) (1990e) Evaluation test on a wood waste fired incinerator at Pacific Oroville Power Inc. Test Report No. C-88-050. Engineering Evaluation Branch, Monitoring and Laboratory Division. May 29, 1990.



- CARB (California Air Resources Board) (1990f) Evaluation test on twin fluidized bed wood waste fueled combustors located in Central California. Test Report No. C-87-042. Engineering Evaluation Branch, Monitoring and Laboratory Division. February 7, 1990.
- CARB (California Air Resources Board) (1990g) Evaluation test on a wood waste fired incinerator at Louisiana Pacific Hardboard Plant, Oroville, CA. Test Report No. C-88-066. Engineering Evaluation Branch, Monitoring and Laboratory Division. [As reported in NCASI, 1995.]
- CARB (California Air Resources Board) (1991a) Emissions test of the Modesto Energy Project tires-to-energy facility. Project No. C-87-072. Engineering Evaluation Branch, Monitoring and Laboratory Division. May 24, 1991.
- CARB (California Air Resources Board) (1991b) Evaluation test of a hospital refuse fired incinerator at American Environmental Management Corporation. Engineering Evaluation Branch, Monitoring and Laboratory Division. Test Report No. C-89-001.
- CARB (California Air Resources Board) (1992a) Dioxin/furan estimates from a secondary aluminum facility. Confidential Report No. ERC-9. Engineering Evaluation Branch, Monitoring and Laboratory Division. [As reported in U.S EPA, 1997b.]
- CARB (California Air Resources Board) (1992b) Emission measurements on delacquering system. Confidential Report No. ERC-32. Engineering Evaluation Branch, Monitoring and Laboratory Division. [As reported in U.S EPA, 1997b.]
- CARB (California Air Resources Board) (1993a) Emissions measurement of toxic compounds from a cupola baghouse at a steel foundry. Confidential Report No. ERC-61. Engineering Evaluation Branch, Monitoring and Laboratory Division. [As reported in U.S. EPA, 1997b.]
- CARB (California Air Resources Board) (1999) Determination of emissions from the No. 3 reformer at Tosco Refining Company San Francisco Area Refinery at Avon. Project No. C-96-0396. Engineering and Laboratory Branch, Monitoring and Laboratory Division.
- Carlberg, G.E.; Ofstad, E.B.; Drangsholt, H. (1983) Atmospheric deposition of organic micropollutants in Norway studied by means of moss and lichen analysis. *Chemosphere* 12(3):341-356.
- Carpenter, A. (2001) Telefax from Andrew Carpenter, Resource Management, Inc. to Stephen Schwartz, Versar, Inc. January 23, 2001.
- Carpenter, C.; Schweer, G.; Stinnett, G.; Gabel, N. (1986) Exposure assessment for hexachlorobenzene. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA 560/5-86-019.

- Carroll, W.F. (1996) Is PVC in house fires the great unknown source of dioxin? *Fire and Materials* 20:161-166.
- Cash, G. (1993) Document on dioxin/furan data call-ins [memorandum to John Schaum, U.S. EPA, Office of Research and Development]. Washington, D.C.: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. May 4, 1993.
- CEQ (Council on Environmental Quality) (1997) *Environmental Quality 1990. 25th Annual Report*. Washington, DC: Council on Environmental Quality. Executive Office of the President of the United States.
- ChemRisk (1993) Critique of dioxin factories. Prepared for: The Vinyl Institute, September 1993.
- Chen, Y.R.; Chen, C.J.; Lee, C.C.; Chuong, C.Y. (1986) Reproductive effects of emissions from waste electrical products combustion. Presented at: Dioxin '86, 6th International Symposium on Chlorinated Dioxins and Related Compounds; Fukuoka, Japan.
- Chen, M.; Hong, C.S.; Bush, B.; Rhee, G.Y. (1988) Anaerobic biodegradation of polychlorinated biphenyls by bacteria from Hudson River sediments. *Ecotoxicol. and Environ. Safety* 16:95-105.
- Chinkin, L.R.; Weir, B.R.; Latimer, D.A. (1987) Inventory of chlorophenol use in the forest products industry and investigation of related emissions of chlorinated dibenzodioxins and dibenzofurans. Sacramento, CA: California Air Resources Board. Contract No. A5-125-32.
- Choudhry, G.G.; Hutzinger, O. (1983) Mechanistic aspects of the thermal formation of halogenated organic compounds including polychlorinated dibenzo-p-dioxins. New York, NY: Gordon and Breach.
- Choudhry, G.G.; Webster, G.R.B. (1989) Environmental photochemistry of PCDDs. 2. Quantum yields of direct phototransformation of 1,2,3,7-tetra-, 1,3,6,8-tetra-, 1,2,3,4,6,7,8-hepta-, and 1,2,3,4,6,7,8,9-octachlorodibenzo-p-dioxin in aqueous acetonitrile and their sunlight half-lives. *J. Agric. Food Chem.* 37:254-261.
- Christmann, W.; Klöppel, K.D.; Partsch, H.; Rotard, W. (1989a) Tetrachlorobenzoquinones, a source of PCDD/PCDF. *Chemosphere* 18(1-6):789-792.
- Christmann, W.; Kasiske, D.; Klöppel, K.D.; Partsch, H.; Rotard, W. (1989b) Combustion of polyvinyl chloride - an important source for the formation of PCDD/PCDF. *Chemosphere* 19(1-6):387-392.
- Clark, T.; Clark, K.; Paterson, S.; Mackay, D.; Norstrom, R.J. (1988) Wildlife monitoring, modeling, and fugacity. *Environ. Sci. Technol.* 22(2):120-127.

- Clement, R.E.; Tosine, H.M.; Osborne, J.; Ozvacic, V.; Wong, G. (1985a) Levels of chlorinated organics in a municipal incinerator. In: Keith, L.H.; Rappe, C.; Choudhary, G., eds., Chlorinated dioxins and dibenzofurans in the total environment II. Boston, MA: Butterworth Publishers.
- Clement, R.E.; Tosine, H.M.; Ali, B. (1985b) Levels of polychlorinated dibenzo-p-dioxins and dibenzofurans in wood burning stoves and fireplaces. *Chemosphere* 14:815-819.
- Clement, R.E.; Tosine, H.M.; Osborne, J.; Ozvacic, V.; Wong, G. (1988) Gas chromatographic/mass spectrometric determination of chlorinated dibenzo-p-dioxins and dibenzofurans in incinerator stack emissions and fly-ash: a 13-test study. *Biomedical and Environmental Mass Spectrometry* 17:81-96.
- Clement, R.E.; Boomer, D.; Nalkwadi, K.P.; Karasek, F.W. (1990) Study of the relationship between trace elements and the formation of chlorinated dioxin on flyash. In: Clement, R.E.; Kagel, R.O., eds, Emissions from combustion: origin, measurement, control. Chelsea, MI: Lewis Publishers, Inc. pp. 57-64.
- Clement, R.E.; Tashiro, C. (1991) Forest fires as a source of PCDD and PCDF. Presented at: Dioxin '91, 11th International Symposium on Chlorinated Dioxins and Related Compounds; Research Triangle Park, NC; September 1991.
- Cleverly, D.; Schaum, J.; Schweer, G.; Becker, J.; Winters, D. (1997) The congener profiles of anthropogenic sources of chlorinated dibenzo-p-dioxins and chlorinated dibenzofurans in the United states. *Organohalogen Compounds* 32:430-435.
- Cleverly, D.H. (1984) Chlorinated dibenzo-p-dioxins and furans in incineration of municipal solid waste. Proceedings of workshop on energy from municipal waste research: A technical review of thermochemical systems, February 22-24, 1984, Kissimmee, FL. Argonne National lab, U.S. Department of Energy, pp. 295-319.
- Cleverly, D.H.; Morrison, R.M.; Riddle, B.L.; Kellam, R.G. (1991) Regulatory analysis of pollutant emissions, including polychlorinated dibenzo-p-dioxins (CDDs) and dibenzofurans (CDFs), from municipal waste combustors. In: Hattemer-Frey, H.A.; Travis, C., eds., Health effects of municipal waste incineration. Boca Raton, FL: CRC Press, pp. 47-65.
- Commoner, B; McNamara, M; Shapiro, K; Webster, T. (1984) Environmental and economic analysis of alternative municipal solid waste disposal technologies, part II: The origins of chlorinated dioxins and dibenzofurans emitted by incinerators that burn unseparated municipal solid waste, and an assessment of methods of controlling them. Center for the Biology of Natural Systems, Queens College, CUNY, Flushing, New York. December 1, 1984.

- Commoner, B.; Webster, T., Shapiro, K; McNamara, M. (1985) The origins and methods of controlling polychlorinated dibenzo-p-dioxin and dibenzofuran emissions from MSW incinerators. Presented at: 78th Annual Meeting of the Air Pollution Control Assoc.; Detroit, MI; June 1985.
- Commoner, B.; Shapiro, K.; Webster, T. (1987) The origin and health risks of PCDD and PCDF. *Waste Management and Research* 5: 327-346.
- Commoner, B. (1990) *Making peace with the planet*. New York, NY: Random House, Inc.
- Costner, P.K. (1998) Correlation of chlorine input and PCDD/PCDF emissions at a full-scale hazardous waste incinerator. *Organohalogen Compounds* 36:147-151.
- Cramer, P.H.; Heiman, J.; Horrigan, M.; Lester, R.; Armstrong, S. (1995) Results of a national survey for polychlorinated dibenzo-p-dioxins, dibenzofurans, and coplanar polychlorinated biphenyls in municipal biosolids. *Organohalogen Compounds* 24:305-308.
- CRE (1994) Emissions of environmental concern from coal utilisation. United Kingdom: Coal Research Establishment. ECSC 7220-EC/011. June 1994.
- Crosby, D.B. (1981) Environmental chemistry of pentachlorophenol. *Pure & Appl. Chem.* 53:1051-1080.
- Crummett, W.B. (1982) Environmental chlorinated dioxins from combustion - the trace chemistries of fire hypothesis. In: Hutzinger, O.; Frei, R.W.; Merian, E.; Pocchiari, F., eds. *Chlorinated dioxins and related compounds: impact on the environment*. New York NY: Pergamon Press.
- Cull, M.R.; Dobbs, A.J.; Goudot, M.; Schultz, N. (1984) Polychlorodibenzo-p-dioxins and dibenzofurans in technical pentachlorophenol-results of a collaborative analytical exercise. *Chemosphere* 13(10):1157-1165.
- Curlin, L.C.; Bommaraju, T.V. (1991) Alkali & chlorine products. In: *Kirk-Othmer Encyclopedia of Chemical Technology*. 4th ed. pp. 938-1025.
- deBoer, J. de; Stronck, C.J.N.; Traag, W.A.; van der Meer, J. (1993) Non-ortho and mono-ortho substituted chlorobiphenyls and chlorinated dibenzo-p-dioxins, and dibenzofurans in marine and freshwater fish and shellfish from The Netherlands. *Chemosphere* 26(10):1832-1842.
- De Fre, R.; Rymen, R. (1989) PCDD and PCDF formation from hydrocarbon combustion in the presence of hydrogen chloride. *Chemosphere* 19 (1-9): 331-336.
- Dempsey, C.R.; Oppelt, E.T. (1993) Incineration of hazardous waste: A critical review update. *Air & Waste* 43:25-73.

- Deutsch, D.G.; Goldfarb, T.D. (1988) PCDD/PCDF contamination following a plastic fire in a university lecture hall building. *Chemosphere* 17(12):2423-2431.
- DeVoogt, P.; Brinkman, U.A. (1989) Production, properties and usage of polychlorinated biphenyls. In: Halogenated biphenyls, terphenyls, naphthalenes, dibenzodioxins and related products. Kimbrough, R.; Jensen, A.A., Eds. New York, NY: Elsevier Science Publishers.
- Dickson, L.C.; Karasek, F.W. (1987) Mechanism of formation of polychlorinated dibenzo-p-dioxins produced on municipal incinerator flyash from reactions of chlorinated phenols. *J. Chromatography* 389:127-137.
- Dickson, L.C.; Lenoir, D.; Hutzinger, O. (1992) Quantitative comparison of de novo and precursor formation of polychlorinated dibenzo-p-dioxins under simulated municipal solid waste incinerator post combustion conditions. *Environ. Sci. Technol.* 26:1822-1828.
- Domalski, E.S.; Churney, K.L.; Ledford, A.E.; Bruce, S.S. (1986) Monitoring the fate of chlorine from MSW sampling through combustion. Part 1: Analysis of the waste stream for chlorine. *Chemosphere* 15(9-12):1339-1354.
- Donnelly, J.R. (1992) Waste incineration sources: refuse. In: Buonicore, A.J.; Davis, W.T., eds, *Air pollution engineering manual*. Air and Waste Management Association. New York, NY: Van Nostrand Reinhold. pp. 263-275.
- Douben, P.E.T.; Eduljee, G.H.; Dyke, P. (1995) A review of potential PCDD and PCDF emission sources in the UK. *Organohalogen Compounds* 24:131-136.
- Doucet, L.G. (1995) Reassessment of dioxin emissions from MWIs. In: Comments submitted by the American Hospital Association to the U.S. Environmental Protection Agency on EPA's Reassessment Document for 2,3,7,8-TCDD and Related Compounds. January 13, 1995.
- Dow Chemical Co. (unknown) A closer look at the pesticide question for those who want the facts.
- Duarte-Davidson, R.; Sewart, A.; Alcock, R.E.; Cousins, I.T.; Jones, K.C. (1997) Exploring the balance between sources, deposition and the environmental burden of PCDD/Fs in the U.K. terrestrial environment: an aid to identifying uncertainties and research needs. *Environ. Sci. Technol.* 31(1):1-11.
- Duinker, J.C.; Hillebrand, M.T.J. (1983) Characterization of PCB components in Clophen formulations by capillary GC-MS and GC-ECD techniques. *Environ. Sci. Technol.* 17(8):449-456.
- Duinker, J.C.; Schulz, D.E.; Petrick, G. (1988) Multidimensional gas chromatography with electron capture detection for the determination of toxic congeners of polychlorinated biphenyl mixtures. *Analytical Chemistry* 60:478-482.

- Dumler-Gradl, R.; Thoma, H.; Vierle, O. (1995a) Research program on dioxin/furan concentration in chimney soot from house heating systems in the Bavarian area. *Organohalogen Compounds* 24:115-118.
- Dumler-Gradl, R.; Tartler, D.; Thoma, H.; Vierle, O. (1995b) Detection of polybrominated diphenylethers (PBDE), dibenzofurans (PBDF) and dibenzodioxins (PBDD) in scrap of electronics and recycled products. *Organohalogen Compounds* 24:101-104.
- Dung, M.; O'Keefe, P.W. (1992) Comparative rates of photolysis of polychlorinated dibenzofurans in organic solvents and in aqueous solutions. *Organohalogen Compounds* 8:233-236.
- Dyke, P.; Coleman, P. (1995) Dioxins in ambient air, Bonfire Night 1994. *Organohalogen Compounds* 24:213-216.
- Eastern Research Group, Inc. (1998) Report of the meeting to peer review the Inventory of Sources of Dioxin in the United States. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA Contract No. 68-D5-0028, Work Assignment No. 98-05.
- Edelstein, D.L. (1995) Minerals yearbook - copper. Reston, VA: U.S. Geological Survey, Geologic Division.
- Edelstein, D.L. (1999) Personal communication between D. Edelstein (U.S. Geological Survey) and G. Schweer (Versar, Inc.), August 17, 1999.
- Eduljee, G.H.; Dyke, P. (1996) An updated inventory of potential PCDD and PCDF emission sources in the UK. *The Science of the Total Environment* 177:303-321.
- EER (Energy and Environmental Research Corp.) (1993) Engineering analysis and technical support to control metal and organic emissions from combustion of hazardous waste in incinerators and BIFs. Washington, DC: Office of Solid Waste. EPA Contract No. 68-CO-0094, Work Assignment No. 2-6.
- EIA (Energy Information Administration) (1991) Estimates of U.S. biofuels consumption in 1990. Washington, DC: U.S. Department of Energy, Office of Coal, Nuclear, Electric and Alternate Fuels. DOE/EIA-0548(90).
- EIA (Energy Information Administration) (1992) Fuel oil and kerosene sales 1991. Washington, DC: U.S. Department of Energy, Office of Oil and Gas. DOE/EIA-0535(91).
- EIA (Energy Information Administration) (1993) Petroleum supply annual 1992, volume 1. Washington, DC: U.S. Department of Energy, Office of Oil and Gas. DOE/EIA-0340(92)/1.

- EIA (Energy Information Administration) (1994) Estimates of U.S. biomass energy consumption 1992. Washington, DC: U.S. Department of Energy, Office of Coal, Nuclear, Electric, and Alternative Fuels. DOE/EIA-0548(92).
- EIA (Energy Information Administration) (1995a) Fuel oil and kerosene sales 1994. Washington, DC: U.S. Department of Energy, Office of Oil and Gas. DOE/EIA-0535(94).
- EIA (Energy Information Administration) (1995b) Monthly energy review - October 1995. Washington, DC: U.S. Department of Energy, Office of Energy Markets and End Use. DOE/EIA-0035(95/10).
- EIA (Energy Information Administration) (1995c) Annual energy review 1994. Washington, DC: U.S. Department of Energy, Office of Energy Markets and End Use. DOE/EIA-0884(94).
- EIA (Energy Information Administration) (1997a) Fuel oil and kerosene sales 1996. Washington, DC: U.S. Department of Energy, Office of Oil and Gas. DOE/EIA-0535(96).
- EIA (Energy Information Administration) (1997b) Annual energy review 1996. Washington, DC: U.S. Department of Energy, Office of Energy Markets and End Use. DOE/EIA-0384(96).
- EIA (Energy Information Administration) (1997c) Petroleum supply annual 1996, Volume 1. Washington, DC: U.S. Department of Energy, Office of Oil and Gas. DOE/EIA-0340(96/1).
- Eitzer, B.D.; Hites, R.A. (1987) Reply to comment on "Airborne dioxins and dibenzofurans: sources and fate." Environ. Sci. Technol. 21:924.
- Eitzer, B.D.; Hites, R.A. (1987) Reply to comment. Environ. Sci. Technol. 21(9):924.
- Eitzer, B.D.; Hites, R.A. (1989) Dioxins and furans in the ambient atmosphere: A baseline study. Chemosphere 18(1-6):593-598.
- Eklund, G; Pedersen, J.R; Stromberg, B. (1986) Phenol and HCl at 550°C yield a large variety of chlorinated toxic compounds. Nature 320: 155-156. March 13.
- Eklund, G.; Pedersen, J.R.; Stromberg, B. (1988) Methane, hydrogen chloride and oxygen form a wide range of chlorinated organic species in the temperature range 400°C-959°C. Chemosphere 17 (3): 575-586.
- Environment Canada (1985) The national incineration testing and evaluation program: Two-stage combustion (Prince Edward Island). Environment Canada, Ottawa, Ontario, Canada. Report EPS 3/UP/1. September 1985.

- Environmental Risk Sciences, Inc. (1995) An analysis of the potential for dioxin emissions in the primary copper smelting industry. Prepared for the National Mining Association.
- Envisage Environmental, Inc. (1995) Test result summary for development of MACT standards. Testing location: Wabash Alloys. Richfield, OH: Envisage Environmental Inc.
- EPRI (Electric Power Research Institute) (1994) Electric utility trace substances synthesis report. Palo Alto, CA: EPRI. EPRI TR-104614.
- EPRI (Electric Power Research Institute) (1995) Pentachlorophenol (PCP) in soils adjacent to in-service utility poles in New York State. Palo Alto, CA: EPRI. EPRI TR-104893.
- Erickson, M. (1986) Analytical chemistry of PCBs. Boston, MA, Butterworth Publishers.
- Erickson, M.D.; Cole, C.J.; Flora, J.D.; Gorman, P.G.; Haile, C.L.; Hinshaw, G.D.; Hopkins, F.C.; Swanson, S.E. (1984) Thermal degradation products from dielectric fluids. Washington, D.C.: U.S. Environmental protection Agency, Office of Toxic Substances. EPA-560/5-84-009.
- Esposito, M.P.; Tiernan, T.O.; Drydent, F.E. (1980). Dioxins. Prepared for the U.S. Environmental Protection Agency, Cincinnati, OH. November, 1980. EPA-600/2-80-197.
- Fangmark, I.; Stomberg, G.; Berge, N.; Rappe, C. (1994) Influence of postcombustion temperature profiles on the formation of PCDDs, PCDFs, PCBzs, and PCBs in a pilot incinerator. Environ. Sci. Technol. 28:624-629.
- Federal Register (1979) Decision and emergency order suspending registrations for certain uses of 2,4,5-T and Silvex. F.R. (March 15) 44:15874-15920.
- Federal Register (1982a) Polychlorinated biphenyls (PCBs) use in electrical equipment. F.R. (April 22) 47:17426.
- Federal Register (1982b) Polychlorinated biphenyls (PCBs) manufacturing, processing, distribution in commerce and use prohibitions; use in electrical equipment. F.R. (August 25) 47:37342.
- Federal Register (1982c) F.R. (October 29) 47:49322.
- Federal Register (1984) Pentachlorophenol, and inorganic arsenicals; intent to cancel registrations of pesticide products containing creosote, pentachlorophenol (including its salts) and the inorganic arsenicals; determination concluding the rebuttal presumption against registration of the wood preservative uses of pesticide products; availability of position document. F.R. (July 13) 49:28666-28689.



Federal Register (1985a) Regulation of fuels and fuel additives; Gasoline lead content: final rule and supplemental notice of proposed rulemaking. F.R. (March 7) 50:9386-9408.

Federal Register (1985b) Polychlorinated biphenyls in electrical transformers. F.R. (July 17) 50:29170.

Federal Register (1986) Creosote, pentachlorophenol, and inorganic arsenicals; amendment of notice of intent to cancel registrations. F.R. (January 10) 51:1334-1348.

Federal Register (1987a) Pentachlorophenol; amendment of notice of intent to cancel registrations. F.R. (January 2) 52:140-148.

Federal Register (1987b) Final determination and intent to cancel and deny applications for registrations of pesticide products containing pentachlorophenol (including but not limited to its salts and esters) for non-wood uses. F.R. (January 21) 52:2282-2293.

Federal Register (1987c) Polyhalogenated dibenzo-p-dioxins/dibenzofurans; testing and reporting requirements; final rule. F.R. (June 5) 52:21412-21452.

Federal Register (1987d) Appendix A to part 60 (Amended). F.R. (December 16) 52:47853-47856.

Federal Register (1990) National sewage sludge survey: availability of information and data, and anticipated impacts on proposed regulation. F.R. (November 9) 55:47210-47283.

Federal Register (1991a) Standards of performance for new stationary sources and final guidelines for municipal waste combustors. F.R. (February 11) 56:5488-5527.

Federal Register (1991b) Standards of performance for new stationary sources and guidelines for control of existing sources: municipal solid waste landfills: proposed rule and guideline. F.R. (May 30) 56:24468.

Federal Register (1991c) F.R. (February 21) 56:7134.

Federal Register (1993a) 2,3,5,6-Tetrachloro-2,5-cyclohexadiene-1,4-dione; proposed significant new use of a chemical substance. F.R. (May 12). 58:27980-27986.

Federal Register (1993b) Standards for the use or disposal of sewage sludge; final rules. F.R. (February 19) 58:9248-9404.

Federal Register (1993c) Chemicals; toxic chemical release reporting; community right-to-know; significant new use rule. F.R. (December 1) 58:63500-63518.

Federal Register (1995a) Proposed standards of performance for new stationary sources and emission guidelines for existing sources: medical waste incinerators. F.R. (February 27) 60:10654-010691.

Federal Register (1995b) Hazardous waste management system; identification and listing of hazardous waste: petroleum refining process wastes; land disposal restrictions for newly identified wastes; and CERCLA hazardous substance designation and reportable quantities. F.R. (November 20) 60:57747-57800.

Federal Register (1995c) National emission standards for hazardous air pollutants from secondary lead smelting: final rule. F.R. (June 23) 60:32587-32601.

Federal Register (1995d) National emission standards for hazardous air pollutants (NESHAP); secondary lead smelters; PVC in feedstock: proposed rule; amendments. F.R. (April 19) 60:19556.

Federal Register (1995e) Standards of performance for new stationary sources and emission guidelines for existing sources: municipal waste combustors, final rule. F.R. (December 19) 60:65387-65436.

Federal Register (1996a) Standards of performance for new stationary sources and guidelines for control of existing sources: municipal solid waste landfills: final rule and guideline. F.R. (March 12) 61:9905-9944.

Federal Register (1996b) Revised standards for hazardous waste combustors: proposed rule. F.R. (April 19) 61: 17357-17536.

Federal Register (1997a) Toxic chemicals; PCBs; submission of IRC No. 1000 to OMB; information collection activities. F.R. (January 21) 62:3035-3036.

Federal Register (1997b) Standards of performance for new stationary sources and emission guidelines for existing sources: hospital/medical/infectious waste incinerators; final rule. F.R. (September 15) 62:48347-48391.

Federal Register (1998a) Hazardous waste management system; identification and listing of hazardous waste; petroleum refining process wastes; land disposal restrictions for newly identified wastes; and CERCLA hazardous substance designation and reportable quantities. F.R. (August 8) 63:42110-42189.

Federal Register (1998b) Source category listing for Section 112(d)(2) rulemaking pursuant to Section 112(c)(6) requirements. F.R. (April 10) 63:17838-17855.

Federal Register (1998c) National emission standards for hazardous air pollutants for source category: pulp and paper production; effluent limitations guidelines, pretreatment standards, and new source performance standards: pulp, paper, and paperboard category. F.R. (April 15) 63:18504-18751.

Federal Register (1999a) National emission standards for hazardous air pollutants for source categories; Portland Cement manufacturing industry. F.R. (June 14) 64:31897-31962.

Federal Register (1999b) NESHAPS: Final standards for hazardous air pollutants for hazardous waste combustors. F.R. (September 30) 64:52828-53077.

Federal Register (1999c) Emission guidelines for existing stationary sources: small municipal waste combustion units; proposed rule. New source performance standards for new small municipal waste combustion units. F.R. (August 30) 64:47233-47307.

Feil, V.J.; Tiernan, T. (1997) Pentachlorophenol as a source of dioxins and furans. *Organohalogen Compounds* 33:353-354.

Fenton, M. (1996) *Minerals yearbook - iron and steel*. Washington, DC: U.S. Department of the Interior, U.S. Geological Survey.

Ferrario, J.; Byrne, C.; Lorber, M.; Saunders, P.; Leese, W.; Dupuy, A.; Winters, D.; Cleverly, D.; Schaum, J; Pinsky, P.; Deyrup, C.; Ellis, R.; Walcott, J. (1997) A statistical survey of dioxin-like compounds in United States poultry fat. *Organohalogen Compounds*, 32:245-251.

Ferrario, J.; Byrne, C. (2000) Polychlorinated dibenzo-p-dioxins in the environment from ceramics and pottery produced from ball clay. Presented at the 20<sup>th</sup> International Symposium on Halogenated Environmental Organic Pollutants and POPs, Monterey, California, August 13-17, 2000.

Ferrario, J.; Byrne, C.; Cleverly, D. (2000) 2,3,7,8-Dibenzo-p-dioxins in mined clay products from the United States: evidence for possible natural formation. *Environ. Sci. and Technol.* 34:4524-4532.

Fiedler, H.; Hutzinger, O. (1992) Sources and sinks of dioxins: Germany. *Chemosphere*,25:1487-1491.

Fiedler, H. (1993) Formation and sources of PCDD/PCDF. *Organohalogen Compounds* 11:221-228.

Fiedler, H.; Hutzinger, O.; Hosseinpour, J. (1993) Analyses and remedial actions following an accidental fire in a kindergarten. *Organohalogen Compounds* 14:19-22.

Fiedler, H.; Lindert, M. (1998) Düsseldorf Airport fire 1996: results and comparison with accidental fires. *Organohalogen Compounds* 36:69-72.

Firestone, D.; Ress, J.; Brown, N.L.; Barron, R.P.; Damico, J.N. (1972) Determination of polychlorodibenzo-p-dioxins and related compounds in commercial chlorophenols. *J. Assoc. Off. Anal. Chem.* 55(1):85-92.

- Fisher, T.S.; Hayward, D.G.; Stephens, R.D.; Stenstrom, M.K. (1998) Polychlorinated di-benzo-dioxins and di-benzo-furans in Los Angeles urban runoff. Submitted for publication.
- Frame, G.M. (1995) A comprehensive, multicenter study of PCB elution on capillary GC columns. Pittcon '95. New Orleans, LA; March 8, 1995; Paper 717.
- Frame, G.M.; Cochran, J.W.; Bowadt, S.S. (1996a) Complete PCB congener distributions for 17 aroclor mixtures determined by 3 HRGC systems optimized for comprehensive, quantitative, congener-specific analysis. *J. High Resol. Chromatogr.* 19(12):657-668.
- Frame, G.M.; Wagner, R.E.; Carnahan, J.C.; Brown, J.F.; May, R.J.; Smullen, L.A.; Bedard, D.L. (1996b) Comprehensive, quantitative, congener-specific analyses of eight aroclors and complete PCB congener assignments on DB-1 capillary GC columns. *Chemosphere.* 33(4):603-623.
- Frame, G.M. (1997) A collaborative study of 209 PCB congeners and 6 aroclors on 20 different HRGC columns. *Fresenius Journal of Analytical Chemistry.* 357(6):714-722.
- Frame, G.M. (1999) Improved Procedure for Single DB-XLB Column GC MS-SIM Quantitation of PCB Congener Distributions and Characterization of Two Different Preparations Sold as "Aroclor 1254" *J. High Resol. Chromatogr.* 22(10):533-540.
- Frank, H.; Frank, W. (1989) Uptake of airborne tetrachloroethane by spruce needles. *Environ. Sci. Technol.* 23(3):365-367.
- Freeman, R.A.; Schroy, J.M. (1985) Environmental mobility of dioxins. *Aquatic Toxicology and Hazard Assessment: Eighth Symposium, ASTM STP 891*, R.C. Bahner and D.J. Hansen, Eds. American Society for Testing and Materials, Philadelphia, PA. pp. 422-439
- Fries, G.F.; Dawson, T.E.; Paustenbach, D.J.; Mathur, D.B.; Luksemburg, W.J. (1997) Biosynthesis of hepta- and octa-chlorodioxins in cattle and evidence for lack of involvement by rumen microorganisms. *Organohalogen Compounds* 33:296-301.
- Friesen, J.K.; Muir, D.C.G.; Webster, G.R.B. (1990) Evidence of sensitized photolysis of polychlorinated dibenzo-p-dioxins in natural waters under sunlight conditions. *Environ. Sci. Technol.* 24(11):1739-1744.
- Friesen, K.J.; Loewen, M.D.; Foga, M.M. (1993) Environmental aquatic photodegradation of chlorinated dibenzofurans and their photoproducts. *Organohalogen Compounds* 12:135-137.
- Froese, K.L.; Hutzinger, O. (1994) The formation of chlorinated benzenes and phenols in fly ash catalysed reactions of trichloroethylene. *Chemosphere* 28 (11): 1977-1987.

- Froese, K.L.; Hutzinger, O. (1996a) Polychlorinated benzene and polychlorinated phenol in heterogeneous combustion reactions of ethylene and ethane. *Environ. Sci. Technol.* 30:1009-1013.
- Froese, K.L.; Hutzinger, O. (1996b) Polychlorinated benzene, phenol, dibenzo-p-dioxin, and dibenzofuran in heterogeneous combustion reactions of acetylene. *Environ. Sci. Technol.* 30: 998-1008.
- Froese, K; Hutzinger, O. (1997) Mechanisms of formation of polychlorinated benzenes and phenols from heterogeneous reactions of C<sub>s</sub> aliphatics. *Environ. Sci. Technol.* 31:542-547.
- Fuchs, R.; Towara, J.; Hutzinger, O. (1990) PCDD/F in the dry-cleaning process. *Organohalogen Compounds* 3:441-444.
- Funcke, W.; Theisen, J.; Balfanz, E.; König, J. (1988) Polychlorierte Dibenzofurane (PCDF) und polychlorierte Dibenz(o)p)dioxine (PCDD) in Rückständen und Emissionen eines Brandes in Anwesenheit von PBC-haltigen Materialien. *Staub-Reinhaltung der Luft* 48. 393-396.
- Funk, S. (1996) Memorandum from S. Funk (EPA/OPP/HED) to Wm. Hazel (EPA/OPP/HED). Washington, D.C.: U.S. Environmental Protection Agency, Office of Pesticide Programs. May 28, 1996.
- Gaggi, C.; Bacci, E.; Calamari, D.; Fanelli, R. (1985) Chlorinated hydrocarbons in plant foliage: An indication of the tropospheric contamination level. *Chemosphere* 14(11-12):1673-1686.
- Galson Corporation (1995) Source test report: Source emission testing at Roth Brothers Smelting Corporation. East Syracuse, NY: Galson Corporation.
- Gambogi, J. (1996) Minerals yearbook - titanium. Reston, VA: U.S. Geological Survey, Geologic Division.
- Gan, D.R.; Berthouex, P.M. (1994) Disappearance and crop uptake of PCBs from sludge-amended farmland. *Water Environment Research* 66(1):54-69.
- Gertler, A.W.; Sagebiel, J.C.; Dippel, W.A.; Sheetz, L.H. (1996) A study to quantify on-road emissions of dioxins and furans from mobile sources: phase 2. Reno, NV: Desert Research Institute.
- Gertler, A.; Sagebiel, J.; Dippel, W.; Faring, R. (1998) Measurement of dioxin and furan emissions factors from heavy duty diesel vehicles. *J. of the Air and Waste Mgmt. Assoc.* 48:276-278.
- Gillespie, W.J. (1994) A summary of data reflective of U.S. pulp and paper industry progress in reducing the TCDD/TCDF content of effluents, pulps and wastewater treatment sludges. *Organohalogen Compounds* 20:255-260.

- Gillespie, W.J. (1995) Progress in reducing the TCDD/TCDF content of effluents, pulps and wastewater treatment sludges from the manufacturing of bleached chemical pulp. Research Triangle Park, NC: National Council of the Paper Industry for Air and Stream Improvement, Inc.
- Gillespie, W.J. (1997) Letter to G. Schweer (Versar, Inc.) dated February 10, 1997. Research Triangle Park, NC: National Council of the Paper Industry for Air and Stream Improvement, Inc.
- Gillespie, W.J. (1998) Letter to G. Schweer (Versar, Inc.) dated October 8, 1998. Research Triangle Park, NC: National Council of the Paper Industry for Air and Stream Improvement, Inc.
- Gilman, A.P.; Douglas, V.M.; Newhook, R.C.; Arbuckle, T.E. (1988) Chlorophenols and their impurities: a health hazard evaluation. Health and Welfare Canada. Document No. H46-2/88-110E.
- Gobran, T.; Khurana, V.; MacPherson, K.; Waddell, D. (1995) PCDD/PCDF levels in raw sewage, final effluent, sludge, and ash samples from an Ontario wastewater treatment plant. *Organohalogen Compounds* 24:75-80.
- Goldfarb, T.D.; Malloy, T.A.; Surico, M. (1992) PCDDs, PCDFs, PCBs, chlorophenols (CPs) and chlorobenzenes (CBzs) in samples from various types of composting facilities in the United States. *Organohalogen Compounds* 8:253-256.
- Green, L.C.; Lester, R.L.; Armstrong, S.R. (1995) Comments on Estimating Exposures to Dioxin-Like Compounds: Review Draft. Cambridge, MA: Cambridge Environmental Inc. Dated January 12, 1995, and May 11, 1995.
- Greenpeace (1993) Dioxin factories: a study of the creation and discharge of dioxins and other organochlorines from the production of PVC. Amsterdam, The Netherlands: Greenpeace International.
- Greer, W.L.; Johnson, M.D.; Raught, E.C.; Steuch, H.E.; Trusty, C.B. (1992) Portland cement. In: Buonicore, A.J.; Davis, W.T.; eds. *Air pollution engineering manual*, Air and Waste Management Association. New York, NY: Van Nostrand Reinhold.
- Gribble, G.W. (1994) The natural production of chlorinated compounds. *Environ. Sci. Technol.* 28(7):310A-319A.
- Guerin, M.R.; Jenkins, R.A.; Tomkins, B.A. (1992) The chemistry of environmental tobacco smoke: composition and measurement. Chelsea, MI: Lewis Publishers.
- Gullett, B.K., Bruce, K.R., Beach, L.O. (1990a) Formation of chlorinated organics during solid waste combustion. *Waste Management and Research* 8:203-214.

- Gullett, B.K.; Bruce, K.R.; Beach, L.O. (1990b) The effect of metal catalysts on the formation of polychlorinated dibenzo-p-dioxin and polychlorinated dibenzofuran precursors. *Chemosphere* 20: 1945-1952.
- Gullett, B.K.; Bruce, K.R.; Beach, L.O. (1991a) The effect of sulfur compounds on the formation mechanism of PCDD and PCDF in municipal waste combustors. U.S. EPA, Research Triangle Park, NC; Acurex Corp., Research Triangle Park, NC. In: Conference papers from the second international conference on municipal waste combustion, April 15-19, 1991, Tampa, FL. Air and Waste Management Association, Pittsburgh, PA. pp.16-34.
- Gullett, B.K.; Bruce, K.R.; Beach, L.O.; Drago, A. (1991b) Mechanistic steps in the production of PCDD and PCDF during waste combustion. Presented at: Dioxin '91, 11th International Symposium on Chlorinated Dioxins and Related Compounds; Research Triangle Park, NC; September 1991.
- Gullett, B.; Bruce, K.; Beach, L. (1992) Mechanistic steps in the production of PCDD and PCDF during waste combustion. *Chemosphere* 25(7-10):1387-1392.
- Gullett, B.K.; Lemieux, P.M. (1994) Role of combustion and sorbent parameters in prevention of polychlorinated dibenzo-p-dioxin and polychlorinated dibenzofuran formation during waste combustion. *Environ. Sci. Technol.* 28(1):107-118.
- Gullett, B.K.; Ryan, J.V. (1997) On-road sampling of diesel engine emissions of polychlorinated dibenzo-p-dioxin and polychlorinated dibenzofuran. *Organohalogen Compounds* 32:451-456.
- Gullett, B.K.; Lemieux, P.M.; Lutes, C.C.; Winterrowd, C.K.; Winters, D.L. (1999) PCDD/F emissions from uncontrolled, domestic waste burning. *Organohalogen Compounds* 41:27-30.
- Gullett, B.K.; Lemieux, P.M.; Winterrowd, C.K.; Winters, D.L. (2000a) PCDD/F emissions from uncontrolled, domestic waste burning. *Organohalogen Compounds* 46:193-196.
- Gullett, B.K.; Lemieux, P.M.; Lutes, C.C.; Winterrowd, C.K.; Winters, D.L. (2000b) Emissions of PCDD/F from uncontrolled, domestic waste burning. *Chemosphere* (in press).
- Gurprasad, N.; Constable, M.; Haidar, N.; Cabalo, E. (1995) Polychlorinated dibenzo-p-dioxins (PCDDs) leaching from pentachlorophenol-treated utility poles. *Organohalogen Compounds* 24:501-504.
- Gutenmann, W.H.; Rutzke, M.; Kuntz, H.T.; Lisk, D.J. (1994) Elements and polychlorinated biphenyls in sewage sludges of large cities in the United States. *Chemosphere* 28(4):725-728.

- Hagenmaier, H. (1986) Determination of 2,3,7,8-tetrachlorodibenzo-p-dioxin in commercial chlorophenols and related products. *Fresenius Z Anal Chem.* 325:603-606.
- Hagenmaier, H. (1987) Belastung der Umwelt mit Dioxinen. Institut für Organische Chemie der Universität Tübingen.
- Hagenmaier, H. (1994) Contributions of diesel-powered vehicles and wood burning to overall PCDD/PCDF emissions. *Organohalogen Compounds* 20:267-270.
- Hagenmaier, H.; Kraft, M.; Jäger, W.; Mayer, U.; Lutzke, K.; Siegel, D. (1986) Comparison of various sampling methods for PCDDs and PCDFs in stack gas. *Chemosphere* 15:1187-1192.
- Hagenmaier, H.; Brunner, H. (1987) Isomer-specific analysis of pentachlorophenol and sodium pentachlorophenate for 2,3,7,8-substituted PCDD and PCDF at sub-ppb levels. *Chemosphere* 16:1759-1764.
- Hagenmaier, H.; Dawidowsky, V.; Weber, U.B.; Hutzinger, O.; Schwind, K.H.; Thoma, H.; Essers, U.; Buhler, B.; Greiner, R. (1990) Emission of polyhalogenated dibenzodioxins and dibenzofurans from combustion-engines. *Organohalogen Compounds* 2:329-334.
- Hagenmaier, H.; Lindig, C.; She, J. (1994) Correlation of environmental occurrence of polychlorinated dibenzo-p-dioxins and dibenzofurans with possible sources. *Chemosphere* 29(9-11):2163-2174.
- Haghunathan, K.; Gullett, B.K. (1996) Role of sulfur in reducing PCDD and PCDF formation. *Environ. Sci. Technol.* 30: 1827-1834.
- Haglund, P.; Egeback, K.-E.; Jansson, B. (1988) Analysis of PBDD/F in vehicle exhaust. Presented at: Dioxin '88, 8th International Symposium on Chlorinated Dioxins and Related Compounds; Umea, Sweden; August 1988.
- Halonen, L.; Tarhanen, J.; Ollikainen, S.; Ruokojärvi, P. (1994) The effect of inorganic and organic chlorine on formation of highly chlorinated organic compounds during incineration: Laboratory pilot study. *Chemosphere* 28 (12): 2129-2138.
- Hammerstrom, K.; Schweer, G.; Adkins, L.; Freed, J.; Chambers, T. (1985) Exposure assessment for polychlorinated biphenyls (PCBs): incidental production, recycling, and selected authorized uses. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA Contract No. 68-01-6271, Task No. 21.
- Harner, T.; Mackay, D.; Jones, K.C. (1995) Model of the long-term exchange of PCBs between soil and the atmosphere in the southern U.K. *Environ. Sci. Technol.* 29(5):1200-1209.



- Harnly, M.; Stephens, R.; McLaughlin, C.; Marcotte, J.; Petreas, M.; Goldman, L. (1995) Polychlorinated dibenzo-p-dioxin and dibenzofuran contamination at metal recovery facilities, open burn sites, and a railroad car incineration facility. *Environ. Sci. Technol.* 29(3):677-684.
- Harrad, S.J.; Malloy, T.A.; Khan, M.A.; Goldfarb, T.D. (1991) Levels and sources of PCDDs, PCDFs, chlorophenols (CPs) and chlorobenzenes (CBzs) in composts from a municipal yard waste composting facility. *Chemosphere* 23(2):181-191.
- Harrad, S.J.; Sewart, A.P.; Jones, K.C. (1992a) PCDD/CDFs in the British environment: sinks, sources and temporal trends. *Organohalogen Compounds* 9:89-92.
- Harrad, S.J.; Jones, K.C. (1992b) A source inventory and budget for chlorinated dioxins and furans in the United Kingdom environment. *The Science of the Total Environment* 126:89-107.
- Hay, D.J.; Finkelstein, A.; Klicius, R. (1986) The national incineration testing and evaluation program: An assessment of two-stage incineration and pilot scale emission control. Paper presented to U.S. EPA Science Advisory Board, Washington, DC. Environment Canada, Ottawa, Ontario, Canada. June 1986.
- Headrick, M.; Hollinger, K.; Lovell, R.; Matheson, J. (1999) PBBs, PCBs, and dioxins in food animals, their public health implications. *Chemical Food Borne Hazards and Their Control*, 15:109-131.
- Heath, E. (1995) Memorandum from Elizabeth Heath of Research Triangle Institute, to Joseph Wood of Emission Standards Division, OAQPS, EPA, August 23, 1995. "Assignment of Existing Cement Kilns to Model Kilns by Type of Process."
- Heindl, A.; Hutzinger, O. (1987) Search for industrial sources of PCDD/PCDF. III. Short-chain chlorinated hydrocarbons. *Chemosphere* 16(8/9):1949-1957.
- Helble, J.J. (1993) Analysis of dioxin emissions from the incineration of hazardous waste. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste, Permits and State Programs Division.
- Hengstmann, R.; Hamann, R.; Weber, H.; Kettrup, A. (1990) Impact of sewage sludge and sewer slimes by polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans. *Organohalogen Compounds* 4:407-412.
- Hickey, W.J. (1995) Enhancing PCB biodegradatin in soil with chlorobenzoate-degrading inoculants. *Organohalogen Compounds* 24:29-32.
- Himberg, K.; Sippola, E. (1990) Multidimensional gas chromatography - mass spectrometry as a method for the determination of coplanar PCB congeners. *Organohalogen Compounds* 4:183-186.

- Hites, R.A. (1991) Atmospheric transport and deposition of polychlorinated dibenzo-p-dioxins and dibenzofurans. Prepared for the U.S. Environmental Protection Agency, Methods Research Branch, Atmospheric Research and Exposure Assessment Laboratory, Office of Research and Development, Research Triangle Park, NC. EPA/600/3-91/002.
- HMIP (1995) A review of dioxin emissions in the UK. Her Majesty's Inspectorate of Pollution. HMIP/CPR2/41/1/38.
- Ho, A.K.W.; Clement, R.E. (1990) Chlorinated dioxins/furans in sewage and sludge of municipal water pollution control plants. *Chemosphere* 20(10-12):1549-1552.
- Hoekstra, E.J.; De Leer, W.B.; Brinkman, U.T. (1999) Natural formation of chlorinated phenols, dibenzo-p-dioxins, and dibenzofurans in soil of a Douglas Fir forest. *Environ. Sci. and Technol.* 33:2543-2549.
- Holderman, T.S. (1995) Dioxin levels from D/F test rule data submittals. Memorandum from T.S. Holderman (EPA/OPPT/CMD) to A. Adenuga (Versar, Inc.). Dated Aug. 2, 1995.
- Holderman, T.S.; Cramer, P.H. (1995) Updated results of polyhalogenated dibenzo-p-dioxin/dibenzofuran testing and reporting under the Toxic Substances Control Act (TSCA). *Organohalogen Compounds* 24:137-140.
- Hornbuckle, K.C.; Achman, D.R.; Eisreich, S.J. (1993) Over-water and over-land, polychlorinated biphenyls in Green Bay, Lake Michigan. *Environ. Sci. Technol.* 27(1):87-97.
- Horstmann, M.; McLachlan, M.S. (1992) Initial development of a solid-phase fugacity meter for semivolatile organic compounds *Environ. Sci. Technol.* 26(8):1643-1649.
- Horstmann, M.; McLachlan, M.; Reissinger, M. (1992) Investigation of the origin of PCDD/CDF in municipal sewage. *Organohalogen Compounds* 9:97-100.
- Horstmann, M.; McLachlan, M.; Reissinger, M. (1993a) Further investigations of the sources of PCDD/CDF in municipal sewage sludge. *Organohalogen Compounds* 11:293-296.
- Horstmann, M.; McLachlan, M.; Reissinger, M.; Morgenroth, M. (1993b) An investigation of PCDD/CDF formation during textile production and finishing. *Organohalogen Compounds* 11:417-420.
- Horstmann, M.; McLachlan, M.S. (1994a) Textiles as a source of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/CDF) in human skin and sewage sludge. *Environ. Sci. & Pollut. Res.* 1(1):15-20.

- Horstmann, M.; McLachlan, M.S. (1994b) Polychlorinated dibenzo-p-dioxins and dibenzofurans in textiles and their transfer to human skin, sewage sludge and other matrices. *Organohalogen Compounds* 20:251-254.
- Horstmann, M.; McLachlan, M.S. (1995) Concentrations of polychlorinated dibenzo-p-dioxins (PCDD) and dibenzofurans (PCDF) in urban runoff and household wastewaters. *Chemosphere* 31(3):2887-2896.
- Hryhorczuk, O.D.; Withrow, W.A.; Hesse, C.S.; Beasley, V.R. (1981) A wire reclamation incinerator as a source of environmental contamination with TCDDs and TCDFs. *Archives of Environmental Health* 36(5):228-234.
- Huang, C.W.; Miyata, H.; Lu, J.; Ohta, S.; Chang, T.; Kashimoto, T. (1992) Levels of PCBs, PCDDs and PCDFs in soil samples from incineration sites for metal reclamation in Taiwan. *Chemosphere* 24(11):1669-1676.
- Huang, H.; Buekens, A. (1995) On the mechanisms of dioxin formation in combustion processes. *Chemosphere* 31 (9):4099-4117.
- Huang, H.; Biesemans, M., Buekens, A. (1999) Characterization of the nature of de novo synthesis by <sup>13</sup>C NMR. *Organohalogen Compounds* 41:105-108.
- Huckins, J.N.; Stalling, D.L.; Petty, J.D. (1980) Carbon-foam chromatographic separation of non-*o-o'*-chlorine substituted PCBs from Aroclor mixtures. *J. Assoc. Off. Anal. Chem.* 63(4):750-755.
- Hülster, A.; Marschner, H. (1993) Soil-plant transfer of CDD/PCDF to vegetables of the cucumber family (*Cucurbitaceae*). *Environ. Sci. Technol.* 28(6):1110-1115.
- Hülster, A.; Marschner, H. (1994) The influence of root exudates on the uptake of CDD/PCDF by plants. *Organohalogen Compounds* 20:31-34.
- Hutzinger, O.; Fiedler, H. (1991a) Formation of dioxins and related compounds in industrial processes. In: Bretthauer, E.W.; Kraus, H.W.; di Domenico, A., eds. *Dioxin perspectives. A pilot study on international information exchange on dioxins and related compounds.* New York, NY: Plenum Press.
- Hutzinger, O.; Fiedler, H. (1991b) Formation of dioxins and related compounds from combustion and incineration processes. In: Bretthauer, E.W.; Kraus, H.W.; di Domenico, A., eds. *Dioxin perspectives. A pilot study on international information exchange on dioxins and related compounds.* New York, NY: Plenum Press.
- Hutzinger, O.; Fiedler, H. (1992) From source to exposure: some open questions. *Organohalogen Compounds* 9:1-4.

- Hutzinger, O; Essers, U.; Hagenmaier, H. (1992) Untersuchungen zur emission halogener dibenzodioxine und dibenzofurane aus verbrennungsmotoren beim betrieb mit handelsüblichen betriebsstoffen. Universities of Bayreuth, Stuttgart and Tübingen, Germany. GSF-Forschungszentrum, Munich, Germany, ISSN 0937-9932.
- Huwe, J.K.; Feil, V.J.; Tiernan, T.O. (1998) *In vivo* formation of octachlorodibenzo-p-dioxin from a predioxin. *Organohalogen Compounds* 36:93-95.
- Jager, J.; Wilken, M.; Zeschmar-Lahl, B. (1992) Dioxin und furan emissionen in Berlin eine hochrechnung. *Staub-Reinhaltung der Luft*. 52:99-106.
- Jansson, B.; Sundstrom, G; Ahling, B. (1977). Formation of polychlorinated dibenzo-p-dioxins during combustion of chlorophenol formulations. *Science in the Total Environment* 10: 209-217.
- Jarmohamed, W.; Mulder, P. (1994) Oxychlorination and combustion of propene on fly-ash formation of chlorinated benzenes, dibenzodioxins and mono- and dibenzofurans. *Chemosphere* 29 (9-11): 1911-1917.
- Jensen, S.; Sundström, G.; Frescati, L. (1974) Structures and levels of most chlorobiphenyls in two technical PCB products and in human adipose tissue. *Ambio* 3(2):70-76.
- Jobst, H. Aldag, R. *Umweltchem. Okotox.* 2000, 1, 2-4.
- Jones, K.C.; Alcock, R.E. (1996) Dioxin inputs to the environment: A review of temporal trend data and proposals for a monitoring programme to detect past and future change in the U.K. Department of Environment report.
- Jury, W.A.; Spencer, W.F.; Farmer, W.J. (1983) Behavior assessment model for trace organics in soil: model description. *J. Environ. Qual.* 12:558-564.
- Kannan, N.; Tanabe, S.; Wakimoto, T.; Tatsukawa, R. (1987) Coplanar polychlorinated biphenyls in Aroclor and Kanechlor mixtures. *J. Assoc. Off. Anal. Chem.* 70(3):451-454.
- Kanters, J.; Louw, R. (1994) Chlorine input and output in combustion of municipal solid waste in a lab-scale mini-reactor system. *Chemosphere* 29 (9-11): 1919-1925.
- Kao, A.S.; Venkataraman, C. (1995) Estimating the contribution of reentrainment to the atmospheric deposition of dioxin. *Chemosphere* 31(10):4317-4331.
- Karasek, F.W.; Dickson, L.C. (1987) Model studies of polychlorinated dibenzo-p-dioxin formation during municipal refuse incineration. *Science* 237: 754-756. August 14.

- Kearney, P.C.; Woolson, E.A.; Isensee, A.R.; Helling, C.S. (1973) Tetrachlorodibenzodioxin in the environment: sources, fate, and decontamination. *Environmental Health Perspectives*. 5:273-277.
- Kieatiwong, S.; Nguyen, L.V.; Hebert, V.R.; Hackett, M.; Miller, G.C.; Miille, M.J.; Mitzel, R. (1990) Photolysis of chlorinated dioxins in organic solvents and on soils. *Environ. Sci. Technol.* 24(10):1575-1580.
- Kirby, R. (1994) Petroleum refining industry - presence of dioxins and furans in wastewater generated by reforming operations. Washington, DC: U.S. Environmental Protection Agency, Office of Water, Engineering and Analysis Division. May 1994.
- Kirsbaum, I.Z.; Domburg, G.E.; Sergeyeva, V.N. (1972) Extension of application range of gas chromatography to analysis of lignin pyrolysis products. *Latv. PSR Zinat. Akad. Vestis, Khim. Ser.*, pp 700-707. Cited in: Choudhry, G.G.; Hutzinger, O. (1983). Mechanistic aspects of the thermal formation of halogenated organic compounds including polychlorinated dibenzo-p-dioxins. New York, NY: Gordon and Breach.
- Kjeller, L.; Jones, K.C.; Johnston, A.E.; Rappe, C. (1991) Increases in the polychlorinated dibenzo-p-dioxin and -furan content of soils and vegetation since the 1840s *Environ. Sci. Technol.* 25(9):1619-1627.
- Klasmeier, J.; McLachlan, M.S. (1995) A screening method for detection of OCDD/F in textiles. *Organohalogen Compounds* 23:131-134.
- KMG-Bernuth, Inc. (1997) Letter from Thomas H. Mitchell (KMG-Bernuth) to Matthew Lorber (U.S. EPA/ORD/NCEA). March 5, 1997. Houston, TX: KMG-Bernuth, Inc.
- Knepper, W.A. (1981) Iron. In: Kirk-Othmer Encyclopedia of Chemical Technology. 3rd ed. 13:735-753. New York, NY: John Wiley and Sons.
- Knittel, D. (1983) Titanium and titanium alloys. In: Kirk-Othmer Encyclopedia of Chemical Technology. 3rd ed. 23:98-130. New York, NY: John Wiley and Sons.
- Koester, C.J.; Hites, R.A. (1992) Photodegradation of polychlorinated dioxins and dibenzofurans adsorbed to fly ash. *Environ. Sci. Technol.* 26(3):502-507.
- Konduri, R.; Altwicker, E. (1994) The effect of the electric field on the formation of PCDD in electrostatic precipitators. *Hazardous Waste & Hazardous Materials* 11 (1): 145-156.
- Koning, J.; Sein, A.A.; Troost, L.M.; Bremmer, H.J. (1993) Sources of dioxin emissions in the Netherlands. *Organohalogen Compounds* 14:315-318.
- Kramer, D.A. (1995) Minerals yearbook - magnesium. Reston, VA: U.S. Geological Survey, Geologic Division.

- Krauss, T.; Krauss, P.; Hagenmaier, H. (1994) Formation of PCDD/PCDF during composting? *Chemosphere* 28(1):155-158.
- Kuck, P.H. (1995) Minerals yearbook - nickel. Reston, VA: U.S. Geological Survey, Geologic Division.
- Kutz, FW; Barnes, DG; Bretthauer, EW; et al. (1990) The International Toxicity Equivalency Factor (I-TEF) method for estimating risks associated with exposures to complex mixtures of dioxins and related compounds. *Toxicological and Environmental Chemistry* 26:99-109.
- Kwok, E.S.C.; Atkinson, R.; Arey, J. (1995) Rate constants for the gas-phase reactions of the OH radical with dichlorobiphenyls, 1-chlorodibenzo-p-dioxin, 1,2-dimethoxybenzene, and diphenyl ether: estimation of OH radical reaction rate constants for PCBs, PCDDs, and PCDFs. *Environ. Sci. Technol.* 29(6):1591-1598.
- Lahl, U.; Wilken, M.; Zeschmar-Lahl, B.; Jager, J. (1991) PCDD/PCDF balance of different municipal waste management methods. *Chemosphere* 23(8-10):1481-1489.
- Lahl, U. (1993) Sintering plants of steel industry - the most important thermal PCDD/CDF source in industrialized regions. *Organohalogen Compounds* 11:311-314.
- Lahl, U. (1994) Sintering plants of steel industry - PCDD/F emission status and perspectives. *Chemosphere* 29(9-11):1939-1945.
- Lamparski, L.L.; Stehl, R.H.; Johnson, R.L. (1980) Photolysis of pentachlorophenol-treated wood. Chlorinated dibenzo-p-dioxin formation. *Environ. Sci. Technol.* 14(2):196-200.
- Lamparski, L.L.; Nestruck, T.J.; Cutie, S.S. (1990) The impact on the environment of airborne particulate matter from the eruption of Mount Saint Helens in May 1980. In: Clement, R.; Kogel, R., eds, *Emissions from combustion processes: origin, measurement, control*. Chelsea, MI: Lewis Publishers.
- Lane, J.C. (1980) Gasoline and other motor fuels. In: *Kirk-Othmer Encyclopedia of Chemical Technology*. 3rd ed. Vol. 11, pp. 652-695.
- Larsen, B.; Bøwadt, S.; Facchetti, S. (1992) Separation of toxic congeners from PCB mixtures on two series coupled narrow-bore columns (50 m SIL-8 and 25 m HT-5). *International Journal of Environmental Analytical Chemistry* (47):147-166.
- Larsen, B.R. (1995) HRGC separation of PCB congeners. *J. High Resol. Chromatogr.* 18:141-151.
- Larsson, P.; Lemkemeier, K. (1989) Microbial mineralization of chlorinated phenols and biphenyls in sediment-water systems from humic and clear-water lake. *Water Research* 23(9):1081-1085.

- Larssen, S.; Brevick, E.M.; Oehme, M. (1990) Emission factors of PCDD and PCDF for road vehicles obtained by a tunnel experiment. *Organohalogen Compounds* 1:453-456.
- Lasagni, M.; Collina, E.; Tettamanti, M.; Pitea, D. (2000) Kinetics of MSWI fly ash thermal degradation. 1. Empirical rate equation for native carbon gasification. *Environ. Sci. Technol.* 34:130-136.
- Lebeuf, M.; Gobeil, C.; Brochu, C.; Moore, S. (1996) Direct atmospheric deposition versus fluvial inputs of PCDD/Fs to the sediments of the Lower St. Lawrence Estuary. *Organohalogen Compounds* 28:20-24.
- Lee, R.G.; Hung, H.; Mackay, D.; Jones, K.C. (1998) Measurement and modeling of the diurnal cycling of atmospheric PCBs and PAHs. *Environ. Sci. Technol.* 32(14):2172-2179.
- Leifer, A.; Brink, R.H.; Thom, G.C.; Partymiller, K.G. (1983) Environmental transport and transformation of polychlorinated biphenyls. Washington, D.C.: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA-560/5-83-025.
- Lemieux, P.M. (1997) Evaluation of emissions from the open burning of household waste in barrels. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Risk Management Research Laboratory. EPA-600/R-97-134a.
- Lemieux, P. (2000) Barrel burn experiment results. E-mail from P. Lemieux (EPA/ORD) to D. Cleverly (EPA/ORD) dated September 7, 2000.
- Lemieux, P.M.; Gullett, B.K.; Lutes, C.C.; Winterrowd, C.K.; Winters, D.L. (2000) Parameters influencing emissions of PCDDs/Fs from open burning of household waste in barrels. Presented at: AWMA/Environment Canada Specialty Conference "Recent Advances in the Science and Management of Air Toxics," April 10-12, 2000, Banff, Alberta, Canada.
- Lepine, F.; Milot, S.; Vincent, N. (1992) Formation of toxic PCB congeners and PCB-solvent adducts in a sunlight irradiated cyclohexane solution of Aroclor 1254. *Bull. Environ. Contam. Toxicol.* 48:152-156.
- Lew, G. (1993) Letter to John Schaum concerning CARB (1987) draft report on CDD/CDFs in vehicle exhausts. Sacramento, CA: California Air Resources Board, Monitoring and Laboratory Division. Available for inspection at: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, Washington, D.C.
- Lew, G. (1996) Letter to G. Schweer (Versar, Inc.) dated January 11, 1996. Sacramento, CA: State of California Air Resources Board, Engineering and Laboratory Branch. Available for inspection at: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, Washington, D.C.

- Lexen, K.; De Wit, C.; Jansson, B.; Kjeller, L.O.; Kulp, S.E.; Ljung, K.; Söderstrom, G.; Rappe, C. (1993) Polychlorinated dibenzo-p-dioxin and dibenzofuran levels and patterns in samples from different Swedish industries analyzed within the Swedish dioxin survey. *Chemosphere* 27(1-3):163-170.
- Liberson, G.L.; Belanger, W.D. (1995) An analysis of dioxin production as a function of chlorine feed. In: *Solid Waste Management: Thermal Treatment & Waste-to-Energy Technologies*, Kilgroe, J., ed. Proceedings of an international specialty conference sponsored by the Air and Waste Management Association, Washington, D.C. April 18-21, 1995, pp. 425-432.
- Liberti, A.; Brocco, D. (1982) Formation of polychlorodibenzodioxins and polychlorodibenzofurans in urban incinerator emissions. In: Hutzinger, O.; Frei, R.W.; Merian, E.; Pocchiari, F., eds., *Chlorinated dioxins and related compounds*. New York, NY: Pergamon Press.
- Liberti, A.; Goretti, G.; Russo, M.V. (1983) PCDD and PCDF formation in the combustion of vegetable wastes. *Chemosphere* 12(4/5):661-663.
- Ling, H.; Diamond, M.; Mackay, D. (1993) Application of the QWASI fugacity/aquivalence model to assessing sources and fate of contaminants in Hamilton Harbour. *Journal of Great Lakes Research* 19 (3): 582-602.
- Liss, P.S.; Slater, P.G. (1974) Flux of gases across the air-sea interface. *Nature* 247:181-184.
- Lockheed Martin Corp. (1998) Urbanized areas rainfall. EPA Contract No. 68-C5-0091.
- Lockwood, L.F.; Ansel, G.; Haddad, P.O. (1981) Magnesium and magnesium alloys. In: *Kirk-Othmer Encyclopedia of Chemical Technology*. 3rd ed. 14:570-615. New York, NY: John Wiley and Sons.
- Löfroth, G.; Zebühr, Y. (1992) Polychlorinated dibenzo-p-dioxins (PCDD) and dibenzofurans (PCDFs) in mainstream and sidestream cigarette smoke. *Bull. Environ. Contam. Toxicol.* 48:789-794.
- Lorang, P.A. (1996) Comments on the API document: A study to quantify on-road emissions of dioxins and furans from mobile sources: phase 2. Ann Arbor, MI: U.S. Environmental Protection Agency, National Vehicle and Fuel Emissions Laboratory. Memorandum dated December 1996.
- Lorber, M.; Braverman, C.; Gehring, P.; Winters, D.; Sovocoal, W. (1996) Soil and air monitoring in the vicinity of a municipal solid waste incinerator. Part I: soil monitoring. *Organohalogen Compounds* 28:255-261.
- Lorenz, W.; Wichmann, H.; Bahadir, M. (1996) Balancing of the release of polychlorinated dibenzo-p-dioxins and dibenzofurans in fire accidents--a contribution to the discussion. *Reinhaltung der Luft*. 56:49-53.



- LUA (Landesumweltamt Nordrhein-Westfalen) (1997) Identification of relevant industrial sources of dioxins and furans in Europe. Materialien No. 43. Essen, Germany: North Rhine-Westphalia State Environment Agency. ISSN 0947-5206.
- Luijk, R.; Govers, H.A.; Neilssen, L. (1992) Formation of polybrominated dibenzofurans during extrusion of high impact polystyrene/decabromodiphenyl ether/antimony (III) oxide. Environ. Sci. Technol. 26(11):2191-2198.
- Luijk, R.; Akkerman, D.M.; Slot, P.; Olie, K.; Kapteljn, F. (1994) Mechanism of formation of polychlorinated dibenzo-p-dioxins and dibenzofurans in the catalyzed combustion of carbon. Environ. Sci. Technol. 28: 312-321.
- Lustenhouwer, J.A.; Olie, K; Hutzinger, O. (1980) Chlorinated dibenzo-p-dioxins and related compounds in incinerator effluents. A review of measurements and mechanisms of formation. Chemosphere 9:501-522.
- Luthe, C.; Karidio, I.; Uloth, V. (1996) Controlling dioxins emissions in coastal power boilers: a status report. Pulp and Paper Canada. 97(9):76-82.
- Luthe, C.; Karidio, I.; Uloth, V. (1998) Dioxins formation in salt-laden power boilers: a mass balance. Chemosphere 36(2):231-249.
- Lykins, B.W.; Clark, R.; Cleverly, D.H. (1987) Polychlorinated dioxin and furan discharge during carbon reactivation. Journal of Environmental Engineering 114(2): 330-316.
- Mahle, N.H.; Whitting, L.F. (1980) The formation of chlorodibenzo-p-dioxins by air oxidation and chlorination of bituminous coal. Chemosphere 9:693-699.
- Malisch, R. (1994) Determination of PCDD/PCDF in PCB products and milk samples; correlation between PCB- and PCDD/PCDF-contamination of milk samples. Organohalogen Compounds 20:209-214.
- Malloy, T.A.; Goldfarb, T.D.; Surico, M.T.J. (1993) PCDDs, PCDFs, PCBs, chlorophenols (CPs) and chlorobenzenes (CBzs) in samples from various types of composting facilities in the United States. Chemosphere 27(1-3):325-334.
- Maniff, K.; Lewis, M. (1988) MISA monitoring discovers dioxins and furans in wastewater stream of petroleum refinery. Ministry of the Environment Communiqué. December 5, 1988.
- Mannsville (1983) Mannsville chemical products synopsis. Cortland, NY: Mannsville Chemical Products Corp. December 1983.
- Marklund, S.; Kjeller, L.O.; Hasson, M.; Tysklund, M.; Rappe, C.; Ryon, C.; Collazo, H.; Dougherty, R. (1986) Determination of PCDDs and PCDFs in incineration samples and pyrolytic products. In: Rappe, C.; Choudhary, G.; Keith, L.H., eds. Chlorinated dioxins and dibenzofurans in perspective. Lewis Publishers Inc., Michigan. pp. 79-94.

- Marklund, S.; Rappe, C.; Tysklind, M.; Egeback, K.E. (1987) Identification of polychlorinated dibenzofurans and dioxins in exhausts from cars run on leaded gasoline. *Chemosphere* 16(1):29-36.
- Marklund, S.; Andersson, R.; Tysklind, M.; Rappe, C. (1989) Emissions of PCDDs and PCDFs from a PVC-fire in Holmsund, Sweden. *Chemosphere* 18(1-6):1031-1038.
- Marklund, S.; Andersson, R.; Tysklind, M.; Rappe, C.; Egeback, K.E.; Bjorkman, E.; Grigoriadis, V. (1990) Emissions of PCDDs and PCDFs in gasoline and diesel fueled cars. *Chemosphere* 20(5):553-561.
- Mathur, D.B.; Stephenson, M.J.; Wenning, R.J.; Paustenbach, D.J.; Folwarkow, S.; Lurseburg, W.J. (1997) PCDD/PCDFs in storm water outfalls adjacent to urban areas and petroleum refineries in San Francisco Bay, California, USA. *Organohalogen Compounds* 32:1-5.
- Matsueda, T.; Kurokawa, Y.; Nakamura, M.; Takada, S.; Fukamachi, K. (1994) Concentrations of PCDDs, PCDFs and coplanar PCBs in cigarettes from various countries. *Organohalogen Compounds* 20:331-334.
- Mattila, H.; Virtanen, T.; Vartiainen, T.; Ruuskanen, J. (1992) Emissions from combustion of waste plastic material in fixed bed boiler. *Organohalogen Compounds* 9:147-150.
- Maw, K. (1998) E-mail to G. Schweer (Versar, Inc.) dated July 13, 1998. Research Triangle Park, NC: Pacific Environmental Services.
- McCord, A.T. (1981) A study of the emission rate of volatile compounds from lagoons. Presented at the National Conference of Management of Uncontrolled Hazardous Waste Sites.
- McCormack, W.B.; Moore, R.; Sandy, C.A. (1981) Organolead compounds. In: Kirk-Othmer Encyclopedia of Chemical Technology. 3rd ed. Vol. 14, pp. 180-195.
- McCrary, J.K.; Maggard, S.P. (1993) Uptake and photodegradation of 2,3,7,8-tetrachlorodibenzo-p-dioxin sorbed to grass foliage. *Environ. Sci. Technol.* 27:343-350.
- McLachlan, M. (1996) Bioaccumulation of hydrophobic chemicals in agricultural food chains. *Environ. Sci. Technol.* 30:252-259.
- McLachlan, M.S.; Welsch-Pausch, K.; Tolls, J. (1995) Field validation of a model of the uptake of gaseous SOC in *Lolium multiflorum* (rye grass). *Environ. Sci. Technol.* 29(8):1998-2004.
- Merk, M.; Schramm, K.W.; Lenoir, D.; Henkelmann, B.; Kettrup, A. (1995) Determination of the PCDD/F concentration in the fumes from a PVC fire. *Organohalogen Compounds* 23:491-494.

- Metal Producing (1991) Sinter plant roundup. 33 Metal Producing. May 1991. p. 24.
- Metal Producing (1996) Census of the North American steel industry. 33 Metal Producing. March 1996. pp. 39-52.
- Micklewright, J.T. (1994) Wood preservation statistics, 1993. A report to the wood preserving industry in the United States.
- Midwest Research Institute (MRI) (1996) Updated medical waste incinerator data base. Memorandum from B. Strong/B. Hardee (MRI) to R. Copeland (U.S. Environmental Protection Agency, ESD Combustion Group). EPA Contract No. 68-D1-0115.
- Mill, T.; Rossi, M.; McMillen, D.; Coville, M.; Leung, D.; Spang, J. (1987) Photolysis of tetrachlorodioxin and PCBs under atmospheric conditions. Internal report prepared by SRI International for U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Washington, D.C.
- Miller, A. (1993) Dioxin emissions from EDC/VCM plants. Environ. Sci. Technol. 27:1014-1015.
- Miller, G.C.; Hebert, V.R.; Miille, M.J.; Mitzel, R.; Zepp, R.G. (1989) Photolysis of octachlorodibenzo-p-dioxin on soils: production of 2,3,7,8-TCDD. Chemosphere 18:1265-1274.
- Milligan, M.S.; Altwicker, E.R. (1995) Mechanistic aspects of the de novo synthesis of polychlorinated dibenzo-p-dioxins and furans in fly ash from experiments using isotopically labeled reagents. Environ. Sci. Technol. 29: 1353-1358.
- Milligan, M.S.; Altwicker, E.R. (1996) Chlorophenol reactions on fly ash. Equilibrium surface coverage and global kinetics. Environ. Sci. Technol. 30: 230-236.
- Mitchell, D.; Loader, A. (1993) Investigation of pollutant emissions from crematoria. United Kingdom. Warren Spring Laboratory. Report No. LR908(PA).
- Moche, W.; Thanner, G. (1998) PCDD/F emissions from coal combustion in small residential plants. Organohalogen Compounds 36:329-332.
- Morimoto, K.; Kenji, T. (1995) Effect of humic substances on the enzymatic formation of OCDD from PCP. Organohalogen Compounds 23:387-392.
- Muir, C.G.; Yarechewski, A.L.; Corbet, R.L.; Webster, G.R.B.; Smith, A.E. (1985) Laboratory and field studies on the fate of 1,3,6,8 - tetrachlorodibenzo-p-dioxin in soil and sediments. J. Agric. Food Chem. 33:518-523.
- Musdalslien, V.I.; Nokleby, P.H.; Wallevik, O. (1998) Formation of dioxins from carbonaceous materials in production of anhydrous magnesium chloride. Organohalogen Compounds 36:81-84.

- Muto, H.; Takizawa, Y. (1989) Dioxins in cigarette smoke. *Archives of Environmental Health* 44(3):171-174.
- Muto, H.; Takizawa, Y. (1992) Potential health risk via inhalation/ingestion exposure to polychlorinated dibenzo-p-dioxins and dibenzofurans. *Bull. Environ. Contam. Toxicol.* 49:701-707.
- Näf, C.; Broman, D.; Ishaq, R.; Zebühr, Y. (1990) PCDDs and PCDFs in water, sludge and air samples from various levels in a waste water treatment plant with respect to composition changes and total flux. *Chemosphere* 20(10-12):1503-1510.
- Naikwadi, K.P.; Karasek, F.W. (1989) Prevention of PCDD formation in MSW incinerators by inhibition of catalytic activity of fly ash produced. *Chemosphere* 19 (1-6): 299-304.
- Nakamura, M.; Matsueda, T.; Kurokawa, Y.; Takada, S., Fukamachi, K. (1994) Levels and profiles of CDDs and PCDFs in soils and plants. *Organohalogen Compounds* 20:103-106.
- Nash, R.G.; Beall, M.L. Jr. (1980) Distribution of silvex, 2,4-D, and TCDD applied to turf in chambers and field plots. *Journal of Agricultural and Food Chemistry* 28:614-623.
- NATO (North Atlantic Treaty Organization) (1988) Pilot study on international information exchange on dioxins and related compounds: Emissions of dioxins and related compounds from combustion and incineration sources. North Atlantic Treaty Organization, Committee on the Challenges of Modern Society. Report #172. August 1988.
- NCASI (National Council of the Paper Industry for Air and Stream Improvement) (1993) Summary of data reflective of pulp and paper industry progress in reducing the TCDD/TCDF content of effluents, pulps and wastewater treatment sludges. New York, NY. NCASI. June 1993.
- NCASI (National Council of the Paper Industry for Air and Stream Improvement) (1995) NCASI summary of PCDD/F emission from wood residue and black liquor combustion. Attachment 2 to comments submitted on January 13, 1995, to EPA's Office of Health and Environmental Assessment concerning the draft document entitled "Estimating Exposure to Dioxin-Like Compounds."
- Nestrick, T.J.; Lamparski, L.L. (1982) Isomer-specific determination of chlorinated dioxins for assessment of formation and potential environmental emission from wood combustion. *Anal. Chem.* 54(13):2292-2299.
- Nestrick, T.J.; Lamparski, L.L. (1983) Assessment of chlorinated dibenzo-p-dioxin formation and potential emission to the environment from wood combustion. *Chemosphere* 12(4/5):617-626.

- Nestrick, T.J.; Lamparski, L.L., Crummett, W.B. (1987) Thermolytic surface-reaction of benzene and iron (III) chloride to form chlorinated dibenzo-p-dioxins and dibenzofurans. *Chemosphere* 16(4):777-790.
- Nies, L.; Vogel, T.M. (1990) Effects of organic substrates on dechlorination of Aroclor 1242 in anaerobic sediments. *Applied and Environmental Microbiology* 56(9):2612-2617.
- Nito, S.N.; Akimoto, Y.; Imagawa, T.; Inouye, Y. (1997) Comparative study on formations of polychlorinated dibenzo-p-dioxin, chlorinated dibenzofuran and related compounds by pyrolysis of some precursors on unused sand for fluidized bed incinerator and long term used sand. *Chemosphere*. 35:1717-1727.
- Oberg, T.; Warman, K.; Berstrom, J. (1989) Production of chlorinated aromatics in the post-combustion zone and boiler. *Chemosphere* 19(1-6):317-322.
- Oberg, L.G.; Glas, B.; Swanson, S.E.; Rappe, C.; Paul, K.G. (1990) Peroxidase-catalyzed oxidation of chlorophenols to polychlorinated dibenzo-p-dioxins and dibenzofurans. *Arch. Environ. Contam. Toxicol.* 19:930-938.
- Oberg, L.G.; Rappe, C. (1992) Biochemical formation of PCDD/Fs from chlorophenols. *Chemosphere* 25(1-2):49-52.
- Oberg, L.G.; Andersson, R.; Rappe, C. (1992) De novo formation of hepta- and octachlorodibenzo-p-dioxins from pentachlorophenol in municipal sewage sludge. *Organohalogen Compounds* 9:351-354.
- Oberg, L.G.; Wagman, N.; Andersson, R.; Rappe, C. (1993) De novo formation of PCDD/Fs in compost and sewage sludge - a status report. *Organohalogen Compounds* 11:297-302.
- Oberg, L.G., Wagman, N.; Koch, M.; Rappe, C. (1994) Polychlorinated dibenzo-p-dioxins, dibenzofurans and non-ortho PCBs in household organic-waste compost and mature garden waste compost. *Organohalogen Compounds* 20:245-250.
- Oehme, M.; Mano, S.; Bjerke, B. (1989) Formation of polychlorinated dibenzofurans and dibenzo-p-dioxins by production processes for magnesium and refined nickel. *Chemosphere* 18(7-8):1379-1389.
- Oehme, M.; Larssen, S.; Brevik, E.M. (1991) Emission factors of PCDD/CDF for road vehicles obtained by a tunnel experiment. *Chemosphere* 23:1699-1708.
- Office of Nature Conservancy (1991) Organochlorine compounds from dishwashing detergents and bleach? Sweden Office of Nature Conservancy Report No. 4009.

- O'Keefe, P.W.; Smith, R.M. (1989) PCB capacitor/transformer accidents. In: Kimbrough, R.D.; Jensen, A.A., eds. Halogenated biphenyls, terphenyls, naphthalenes, dibenzodioxins and related products. New York, NY: Elsevier Science Publishers.
- Olie, K.; Berg, M.v.d.; Hutzinger, O. (1983) Formation and fate of PCDD and PCDF from combustion processes. *Chemosphere* 12(4/5):627-636.
- Opatick, R.E. (1995) Chlorobenzene Producers Association comments on EPA's external review draft of Estimating Exposure to Dioxin-Like Compounds. Chlorobenzene Producers Association. January 10, 1995.
- Orazio, C.E.; Kapila, S.; Puri, R.K.; Yanders, A.F. (1992) Persistence of chlorinated dioxins and furans in the soil environment. *Chemosphere* 25(7-10):1469-1474.
- O'Rourke, K. (1996) Memorandum to David Cleverly dated December 16, 1996, concerning MWI phone survey summary. Available for inspection at: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment, Washington, D.C.
- Ozvacic, V. (1985) A review of stack sampling methodology for PCDDs/PCDFs. *Chemosphere* 15(9-12):1173-1178.
- Paciorek, K.L.; Kratzer, R.H.; Kaufman, J.; Nakahara, J.; Hartstein, A.M. (1974) Oxidative thermal decomposition of poly (vinyl chloride) compositions. *J. Appl Polym. Sci.* 18:3723-3729.
- Palmer, F. H.; Sapudar, R.A.; Heath, J.A.; Richard, N.J.; Bowes, G.W. (1988) Chlorinated dibenzo-p-dioxin and dibenzofuran contamination in California from chlorophenol wood preservative use. California State Water Resources Control Board. Report No. 88-5WQ.
- Papke, O.; Ball, M.; Lis, Z.A.; Scheunert, K. (1989) PCDD and PCDF in indoor air in kindergartens in Northern W. Germany. *Chemosphere* 18:617-626.
- Pardue, J.H.; Delaune, R.D.; Patrick, W.H. (1988) Effect of sediment pH and oxidation-reduction potential on PCB mineralization. *Water, Air and Soil Pollution* 37:439-447.
- Patterson, S. H.; Murray, H.H. (1984) Kaolin, refractory clay, ball clay, and halloysite in North America, Hawaii, and the Caribbean region. U.S. Geological Survey. Professional Paper No. 1306.
- Paterson, S.; Mackay, D.; Bacci, E.; Calamari, D. (1991) Correlation of the equilibrium and kinetics of leaf-air exchange of hydrophobic organic chemicals. *Environ. Sci. Technol.* 25(5):866-871.

- Paustenbach, D.; Wenning, R.J.; Lau, V.; Harrington, N.W.; Rennix, D.K.; Parsons, A.H. (1992) Recent developments on the hazards posed by 2,3,7,8-TCDD in soil: implications for setting risk-based cleanup levels at residential and industrial sites. *Journal of Toxicology and Environmental Health* 36:103-149.
- Paustenbach, D.J.; Wenning, R.J.; Mathur, D.; Luksemburg, W. (1996) PCDD/PCDFs in urban stormwater discharged to San Francisco Bay, California, USA. *Organohalogen Compounds* 28:111-116.
- Pentachlorophenol Task Force (1997) Letter from John Wilkinson (Pentachlorophenol Task Force) to Matthew Lorber (U.S. EPA/ORD/NCEA). February 7, 1997. Washington, DC: Pentachlorophenol Task Force.
- Persson, P.E.; Bergström, J. (1991) Emission of chlorinated dioxins from landfill fires. *Proceedings Sardinia 91: Third International Landfill Symposium*. pp. 1635-1641.
- Peters, J.A. (1983) Evaluation of hazardous waste incineration in cement kilns at San Juan Cement Company. Prepared for Incineration Research Branch, Industrial Research Laboratory, U.S. Environmental Protection Agency, Cincinnati, OH.
- Pitea, D.; Lasagni, M.; Bonati, L.; Moro, G.; Todeschini, R.; Chiesa, G. (1989a) The combustion of municipal solid wastes and PCDD and PCDF emissions. Part 1. PCDD and PCDF in MSW. *Chemosphere* 18(7-8):1457-1464.
- Pitea, D.; Lasagni, M.; Bonati, L.; Moro, G.; Todeschini, R.; Chiesa, G. (1989b) The combustion of municipal solid wastes and PCDD and PCDF emissions. Part 2. PCDD and PCDF in stack gases. *Chemosphere* 18(7-8):1465-1474.
- Plimmer, J.R. (1980) Herbicides. In: *Kirk-Othmer Encyclopedia of Chemical Technology*. 3rd ed. Vol. 12, pp. 297-351.
- Pohlandt, K.; Marutzky, R. (1994) Concentration and distribution of polychlorinated dibenzo-p-dioxins (PCDD) and polychlorinated dibenzofurans (PCDF) in wood ash. *Chemosphere* 28(7):1311-1314.
- Prinn, R.G.; Weiss, R.F.; Miller, B.R.; Huang, J.; Alyea, F.N.; Cunnold, D.M.; Fraser, P.J.; Hartley, D.E.; Simmonds, P.G. (1995) 269:187.
- Puri, R.K.; Clevenger, T.E.; Kapila, S.; Yanders, A.F.; Malhotra, R.K. (1989) Studies of parameters affecting translocation of tetrachlorodibenzo-p-dioxin in soil. *Chemosphere* 18(1-6):1291-1296.
- Quab, U.; Fermann, M. (1997) Identification of relevant industrial sources of dioxins and furans in Europe. North Rhine-Westphalia State Environment Agency. Report No. 43.
- Quab, U.; Fermann, M.W.; Bröker, G. (1998) Steps towards a European dioxin emission inventory. *Organohalogen Compounds* 36:7-10.

- Quensen, J.F.; Tiedje, J.M.; Boyd, S.A. (1988) Reductive dechlorination of polychlorinated biphenyls by anaerobic microorganisms from sediment. *Science* 242:752-754.
- Quensen, J.F.; Boyd, S.A.; Tiedje, J.M. (1990) Dechlorination of four commercial polychlorinated biphenyl mixtures (Aroclors) by anaerobic microorganisms from sediments. *Appl. Environ. Microbiol.* 56(1):2360-2369.
- Radian Corporation (1991) Results of dioxin testing on the catalytic reformer unit #1 exhaust Texas Refinery; Bakersfield, California. Radian Corp.: Sacramento, CA. August 8, 1991.
- Radian Corporation (1994) Memorandum from R. Harrison, C. Blackley to W. Stevenson, U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, N.C. Radian Corp., Research Triangle Park, N.C. February 16, 1994.
- Randall, D. (1995) Memorandum dated April 8, 1995, from David Randall and Brian Hardee, Midwest Research Institute, Cary, North Carolina, to Richard Copland, Combustion Group, Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina. Subject: Emission factors for medical waste incinerators (MWIs), EPA Contract No. 68-01-0115; EPA Docket Number A-91-61; IV B 042.
- Rappe, C. (1991) Sources of human exposure to CDDs and PCDFs. In: *Biological Basis for Risk Assessment of Dioxin and Related Compounds*, Banbury Report No. 35, M. Gallo, R. Scheuplein, and K. van der Heiden (Eds), Plainview, NY: Cold Spring Harbor Laboratory Press.
- Rappe, C. (1992a) Sources of PCDDs and PCDFs. Introduction. Reactions, levels, patterns, profiles and trends. *Chemosphere* 25(1-2):41-44.
- Rappe, C. (1992b) Sources of exposure, environmental levels and exposure assessment of PCDDs and PCDFs. *Organohalogen Compounds* 9:5-8.
- Rappe, C. (1993) Sources of exposure, environmental concentrations and exposure assessment of PCDDs and PCDFs. *Chemosphere* 27(1-3):211-225.
- Rappe, C. (1995) Comments on the USEPA draft document. In: *Comments submitted to EPA by the Integrated Waste Services Association on EPA's Estimating Exposure to Dioxin-Like Compounds*. Washington, DC: Integrated Waste Services Association. January 13, 1995.
- Rappe, C.; Marklund, S.; Buser, H.R.; Bosshardt, H.P. (1978a) Formation of polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) by burning or heating chlorophenates. *Chemosphere* 3:269-281.



- Rappe, C.; Gara, A.; Buser, H.R. (1978b) Identification of polychlorinated dibenzofurans (PCDFs) in commercial chlorophenol formulations. *Chemosphere* 12:981-991.
- Rappe, C.; Andersson, R.; Bergqvist, P.A.; Brohede, C.; Hansson, M.; Kjeller, L.O.; Lindstrom, G.; Marklund, S.; Nygren, M.; Swanson, S.E.; Tysklind, M.; Wiberg, K. (1987) Overview of the environmental fate of chlorinated dioxins and dibenzofurans. Sources, levels and isomeric pattern in various matrices. *Chemosphere* 16(8-9):1603-1618.
- Rappe, C.; Kjeller, L.O.; Bruckmann, P.; Hackhle, K.H. (1988) Identification and quantification of PCDD/CDFs in urban air. *Chemosphere* 17(1):3-20.
- Rappe, C.; Kjeller, L.O.; Andersson, R. (1989a) Analyses of PCDDs and PCDFs in sludge and water samples. *Chemosphere* 19(1-6):13-20.
- Rappe, C.; Swanson, S.; Gals, B.; Kringstad, K.P.; de Sousa, P.; Zensaku, A. (1989b) Formation of PCDDs and PCDFs by the chlorination of water. *Chemosphere* 19(12):1875-1880.
- Rappe, C.; Kjeller, L.O.; Kulp, S.E. (1990a) Sampling and analysis of PCDDs and PCDFs in surface water and drinking water at 0.001 ppq levels. *Organohalogen Compounds* 2:207-210.
- Rappe, C.; Glas, B.; Kjeller, L.O.; Kulp, S.E. (1990b) Levels of PCDDs and PCDFs in products and effluent from the Swedish pulp and paper industry and chloralkali process. *Chemosphere* 20(10-12):1701-1706.
- Rappe, C.; Andersson, R.; Lundström, K.; Wiberg, K. (1990c) Levels of polychlorinated dioxins and dibenzofurans in commercial detergents and related products. *Chemosphere* 21(1-2):43-50.
- Rappe, C.; Kjeller, L.; Kulp, S.; deWit, C.; Hasselsten, I.; Palm, O. (1991) Levels, profile and pattern of PCDDs and PCDFs in samples related to the production and use of chlorine. *Chemosphere* 23(11-12):1629-1636.
- Rappe, C.; Andersson, R.; Karlaganis, G.; Bonjour, R. (1994) PCDDs and PCDFs in samples of sewage sludge from various areas in Switzerland. *Organohalogen Compounds* 20:79-84.
- Ree, K.C.; Evers, E.H.G.; Van Der Berg, M. (1988) Mechanism of formation of polychlorinated dibenzo(p)dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) from potential industrial sources. *Toxicological and Environmental Chemistry* 17:171-195.
- Remmers, J.; Dupuy, A.; McDaniel, D.; Harless, R.; Steele, D. (1992) Polychlorinated dibenzo-p-dioxin and dibenzofuran contamination in chloranil and carbazole violet. *Chemosphere* 25(7-10):1505-1508.

- Rhee, G.Y.; Bush, B.; Brown, M.P.; Kne, M.; Shane, L. (1989) Anaerobic biodegradation of polychlorinated biphenyls in Hudson River sediments and dredged sediments in clay encapsulation. *Water Research* 23(8):957-964.
- Riederer, M. (1990) Estimating partitioning and transport of organic chemicals in the foliage/atmosphere system: discussion of a fugacity-based model. *Environ. Sci. Technol.* 24(6):829-837.
- Rieger, R.; Ballschmiter, K. (1992) Search for sources of CLxDD/CLxDF in sewage sludge of mixed industrial/domestic origin. *Organohalogen Compounds* 9:203-206.
- Riggs, K.B.; Brown, T.D.; Schrock, M.E. (1995) PCDD/PCDF emissions from coal-fired power plants. *Organohalogen Compounds* 24:51-54.
- Rigo, G.H.; Chandler, J.A.; Lanier, S.W. (1995) The relationship between chlorine and dioxin emissions from waste combustors. In: *Solid Waste Management: Thermal Treatment & Waste-to-Energy Technologies*, Kilgroe, J., ed. Proceedings of an international specialty conference sponsored by the Air and Waste Management Association, Washington, D.C. April 18-21, 1995. ASME/CRTD-Volume 36.
- Rigo, H.G. (1998) Dioxin and chlorine: New evidence of no material relationship in a commercial scale system. *Organohalogen Compounds* 36:261-264.
- Risatti, J.B. (1992) Rates of microbial dechlorination of polychlorinated biphenyls (PCBs) in anaerobic sediments from Waukegan Harbor. Champaign, IL: The Illinois Hazardous Waste Research and Information Center. HWRIC RR-061.
- Riss, A.; Aichinger, H. (1993) Reduction of dioxin emissions and regulatory measures in Austria. *Organohalogen Compounds* 14:341-344.
- Robbins, J.A.; Edgington, D.N. (1973) *Geochim Cosmochim Acta* 39, p.285. As cited in: Czuczwa, J.M; Hites, R.A. (1985). Historical record of polychlorinated dioxins and furans in Lake Huron sediments. In: Keith, L.H.; Rappe, C.; Choudhary, G, eds. Chlorinated dioxins and dibenzofurans in the total environment II. Boston, MA: Butterworth Publishers.
- Rotard, W. (1993) Fires. In: *Current views on the impact of dioxins and furans on human health and the environment*. Washington, D.C.: Toxicology Forum, Inc.
- Rubin, A.; White, C. (1992) Computer printout from National Sewage Sludge Survey Data Base. U.S. Environmental Protection Agency, Office of Science and Technology, Health and Ecological Criteria Division, Sludge Risk Assessment Branch. December 21, 1992.
- Ruokojärvi, P.; Ettala, M.; Rahkonen, P.; Tarhanen, J.; Ruuskanen, J. (1995) Polychlorinated dibenzo-p-dioxins and -furans (PCDDs and PCDFs) in municipal waste landfill fires. *Chemosphere* 30(9):1697-1708.

- Safe, S. (1992) Development, validation and limitations of toxic equivalency factors. *Chemosphere* 25(1-2):61-64.
- Safe, S. (1994) Polychlorinated biphenyls (PCBs): environmental impact, biochemical and toxic responses, and implications for risk assessment. *Crit. Rev. Toxicol.* 21(1):51-88.
- Safe, S. (1995) Human dietary intake of aryl hydrocarbon (Ah) receptor agonists: mass balance estimates of exodioxins and endodioxins and implications for health assessment. *Organohalogen Compounds* 26:7-13.
- SAIC (Science Applications International Corporation) (1994) Identification of sources of dioxin in catalytic reformers and potential mitigation. Cincinnati, OH: U.S. Environmental Protection Agency, Risk Reduction Engineering Laboratory. EPA Contract No. 68-CO-0044.
- Sakai, S.; Hiraoka, M.; Takeda, N.; Shiozaki, K. (1993a) Coplanar PCBs and PCDD/PCDFs in municipal waste incineration. *Chemosphere* 27(1-3):233-240.
- Sakai, S.; Hiraoka, M.; Takeda, N.; Shiozaki, K. (1993b) On emission and formation of non-ortho CBs and mono-ortho CBs in municipal waste incineration. *Organohalogen Compounds* 11:245-248.
- Sakai, S.; Hiraoka, M.; Takeda, N.; Shiozaki, K. (1994) Behavior of coplanar PCBs in oxidative condition of municipal waste incineration. *Organohalogen Compounds* 20:309-313.
- Santl, H.; Gruber, L.; Stöhrer, E. (1994) Some new sources of polychlorinated dibenzodioxins (PCDDs) and dibenzofurans (PCDFs) in waste papers and recycled pulps. *Chemosphere* 29(9-11):1995-2003.
- Schäfer, K.; McLachlan, M.S.; Reissinger, M.; Hutzinger, O. (1993) An investigation of PCDD/F in a composting operation. *Organohalogen Compounds* 11:425-428.
- Schatowitz, B.; Brandt, G.; Gafner, F.; Schlumpf, E.; Bihler, R.; Hasler, P.; Nussbaumer, T. (1993) Dioxin emissions from wood combustion. *Organohalogen Compounds* 11:307-310.
- Schaub, W.M.; Tsang, W. (1983) Physical and chemical properties of dioxins in relation to their disposal. In: Tucker, R.E.; Young, A.L., Gray, A.P., eds. *Human and Environmental Risks of Chlorinated Dioxins and Related Compounds*. New York, NY: Plenum Press.
- Schechter, A.; Papke, O.; Isaac, J.; Hrimat, N.D.; Neiroukk, F.; Safi, J.; El-Nahhal, Y. (1997) 2,3,7,8 Chlorine substituted dioxin and dibenzofuran congeners in 2,4-D, 2,4,5-T and pentachlorophenol. *Organohalogen Compounds* 32:51-55.

- Schechter, A.J.; Michalek, J.E.; May, J.; Pöpke, O. (1998) Dioxin and dibenzofuran congeners in 2,4-dichlorophenoxyacetic acid, 2,4,5-trichlorophenoxyacetic acid, and Agent Orange. *Organohalogen Compounds* 36:285-288.
- Schmitt, R. (1993) Comments on pesticide data call-in [memorandum to John Schaum, U.S. Environmental Protection Agency, Office of Research and Development]. Washington, D.C.: U.S. Environmental Protection Agency, Office of Pesticide Programs. April 27, 1993.
- Schoonenboom, M.H.; Tromp, P.C.; Olie, K. (1993) The formation of coplanar PCBs, PCDDs and PCDFs in a fly-ash model system. *Organohalogen Compounds* 11:277-280.
- Schoonenboom, M.H.; Olie, K. (1995) Formation of PCDDs and PCDFs from anthracene and chloroanthracene in a model fly ash system. *Environ. Sci. Technol.* 29: 2005-2009.
- Schramm, K.; Reischl, A.; Hutzinger, O. (1987) *Chemosphere* 16:2653-2663.
- Schramm, K.W. (1998) Personal communication between Dr. Karl-Werner Schramm and Greg Schweer, Versar, Inc. September 29, 1998.
- Schreiner, M.; Reifenhäuser, W.; Vierle, O. (1992) Measurements of the emission concentrations of PCDD/PCDF in a digester-torch of a municipal sewage plant. *Organohalogen Compounds* 9:255-257.
- Schreiner, G.; Schimmel, H.; Ballschmiter, K. (1995) Influence of the substitution pattern on the microbial degradation of mono- to tetrachlorinated dibenzofurans and dibenzodioxins. *Organohalogen Compounds* 24:43-46.
- Schulz, D.E.; Petrick, G.; Duinker, J.C. (1989) Complete characterization of polychlorinated biphenyl congeners in commercial Aroclor and Clophen mixtures by multidimensional gas chromatography-electron capture detection. *Environ. Sci. Technol.* 23:852-859.
- Schwartz, T.R.; Tillitt, D.E.; Feltz, K.P.; Peterman, P.H. (1993) Determination of mono- and non-*o-o'*-chlorine substituted polychlorinated biphenyls in Aroclors and environmental samples. *Chemosphere* 26(8):1443-1460.
- Schwind, K-H.; Thoma, H.; Hutzinger, O.; Dawidowsky, N.; Weberuss, U.; Hagenmaier, H.; Buehler, U.; Greiner, R.; Essers, U.; Bessey, E. (1991) Emission halogenierter dibenzodioxine (PXDD) und dibenzofurane (PXDF) aus verbrennungsmotoren. *UWSF-Z. Umweltchem. Oekotox.* 3, 291-298. [English translation]
- Schwind, K.H.; Hosseinpour, J.; Fiedler, H.; Lau, C.; Hutzinger, O. (1995) Human exposure to consumer products: analysis of chlorinated organic compounds in candles and their exhaust fumes. *Organohalogen Compounds* 26:113-116.

- Secor International, Inc. (1995a) Emission measurement results for furans and dioxins from the main stack at the Phelps Dodge-Hidalgo Smelter, Playos, New Mexico. Prepared for the Phelps Dodge Mining Company.
- Secor International, Inc. (1995b) Furans and dioxins emission measurement results for Cyprus Miami Mining Corporation. Prepared for the Cypress Amax Minerals Company.
- Sedlak, D.L.; Andren, A.W. (1991) Aqueous-phase oxidation of polychlorinated biphenyls by hydroxyl radicals. *Environ. Sci. Technol.* 25(8):1419-1427.
- Sewart, A.; Harrad, S.J.; McLachlan, M.S.; McGrath, S.P.; Jones, K.C. (1995) PCDD/Fs and non-o-PCBs in digested U.K. sewage sludges. *Chemosphere* 30(1):51-67.
- Shane, B.S.; Henry, C.B.; Hotchkiss, J.H.; Klausner, K.A.; Gutenmann, W.H.; Lish, D.J. (1990) Organic toxicants and mutagens in ashes from eighteen municipal refuse incinerators. *Arch. Environ. Contam. Toxicol.* 19:665-673.
- Shaub, W.M.; Tsang, W. (1983) Dioxin formation in incinerators. *Environ. Sci. Technol.* 17: 721-730.
- Shin, K-J.; Chang, Y-S. (1999) Characterization of polychlorinated dibenzo-p-dioxins, dibenzofurans, biphenyls, and heavy metals in fly ash produced from Korean municipal solid waste incinerators. *Chemosphere* 38:2655-2666.
- Sidhu, S. (1999) Role of aliphatic precursors in the formation mechanism of PCDD/F, PCB/ and PCN. *Organohalogen Compounds* 41:59-62.
- Silk, P.J.; Lonergan, G.C.; Arsenault, T.L.; Boyle, C.D. (1997) Evidence of natural organochlorine formation in peat bogs. *Chemosphere.* 35:2865-2880.
- Simonich, S.L.; Hites, R.A. (1994) Vegetation-atmosphere partitioning of polycyclic aromatic hydrocarbons. *Environ. Sci. Technol.* 28(5):939-943.
- Sivils, L.D.; Kapila, S.; Yan, Q.; Elseewi, A.A. (1994) Studies on gas-phase phototransformation of polychlorinated dibenzo-p-dioxins. *Organohalogen Compounds* 19:349-353.
- Sivils, L.D.; Kapila, S.; Yan, Q.; Zhang, X.; Elseewi, A.A. (1995) Studies on vapor phase phototransformation of polychlorinated dibenzo-p-dioxins (PCDDs): effect of environmental parameters. *Organohalogen Compounds* 24:167-172.
- Smith, R.M.; O'Keefe P.; Briggs, R.; Hilker, D.; Connor, S. (1992) Measurement of PCDFs and PCDDs in air samples and lake sediments at several locations in upstate New York. *Chemosphere* 25(1-2):95-98.

- Smith, R.M.; O'Keefe, P.W.; Hilker, D.; Connor, S.; Posner, E. (1995) Direct and indirect contribution of atmospheric PCDDs and PCDFs to Hudson River National Estuarine Research Reserve sediment cores. *Organohalogen Compounds* 24:141-145.
- Solid Waste Technologies. (1994) A comprehensive status report on MSW waste-to-energy facilities, incinerators refuse-derived-fuel, and tire processing facilities throughout North America. Kansas City, MO: HCI Publications. 84 pp.
- Someshwar, A.V.; Pinkerton, J.E. (1992) Wood processing industry. In: Buonicore, A.J., Davis, W.T., eds., *Air pollution engineering manual. Air and Waste Management Association*. New York, NY: Van Nostrand Reinhold. pp. 835-847.
- Southerland, J.H.; Kuykendal, W.B.; Lamasan, W.H.; Miles, A.; Oberacker, D.A. (1987) Assessment of combustion sources as emitters of chlorinated dioxin compounds: A report on the results of tier 4 of the National Dioxin Strategy. *Chemosphere* 16(8/9):2161-2168.
- Springer, J.M. (1997) Personal communication with A. Paintal, Versar, Inc. Cremation Association of North America. January 7, 1998.
- Stehl, R.H., Papenfuss, R.R., Bredeweg, R.A., Roberts, R.W. (1973) The stability of pentachlorophenol and chlorinated dioxins to sunlight, heat, and combustion. In: E.H. Blair ed., *Chlorodioxins - origin and fate*. Washington, DC: American Chemical Society.
- Stehl, R.H.; Lamparski, L.L. (1977) Combustion of several 2,4,5-trichlorophenoxy compounds: formation of 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Science* 197:1008-1009.
- Stieglitz, L.; Zwick, G.; Beck, J.; Bautz, H.; Roth, W. (1989a) Carbonaceous particles in fly ash--a source for the de novo synthesis of organochloro compounds. *Chemosphere* 19(1-6):283-290.
- Stieglitz, L.; Zwick, G.; Beck, J.; Roth, W.; Vogg, H. (1989b) On the de-novo synthesis of PCDD/PCDF on fly ash of municipal waste incinerators. *Chemosphere* 18:1219-1226.
- Stieglitz, L.; Vogg, H.; Zwick, G.; Beck, J.; Bautz, H. (1991) On formation conditions of organohalogen compounds from particulate carbon of fly ash. *Chemosphere* 23(8-10):1255-1264.
- Storherr, R.W.; Watts, R.R.; Gardner, A.M.; Osgood, T. (1971) Steam distillation technique for the analysis of 2,3,7,8-tetrachlorodibenzo-p-dioxin in technical 2,4,5-T. *Journal of the AOAC*. 54(1):218-219.
- Stowe, R.A. (1996) A needle in a haystack. *Environmental Protection*. August 1996. pp. 22-25.

- Strachan, W.M.J.; Eisenreich, S.J. (1988) Mass balancing of toxic chemicals in the Great Lakes: the role of atmospheric deposition. Windsor, Ontario: International Joint Commission.
- Strandell, M.E.; Lexen, K.M.; deWit, C.A.; Järnberg, U.G.; Jansson, B.; Kjeller, L.O.; Kulp, E.; Ljung, K.; Söderström, G.; Rappe, C. (1994) The Swedish Dioxin Survey: Summary of results from PCDD/F and coplanar PCB analyses in source-related samples. *Organohalogen Compounds* 20:363-366.
- Stringer, R.L.; Costner, P.; Johnston, P.A. (1995) PVC manufacture as a source of PCDD/Fs. *Organohalogen Compounds* 24:119-123.
- Strong, B. (1996) Memorandum dated January 31, 1996, from Brian Strong and Brian Hardee, Midwest Research Institute, Cary, North Carolina, to Richard Copland, Combustion Group, Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina. Subject: Updated medical waste incinerator data base, EPA Contract No. 68-01-0115; EPA Docket Number A-91-61; IV B 022.
- Stuart, B.; Carter, D.; Hoodless, R.A. (1993) Report on the examination of sewage sludges for polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans. London, England: Laboratory of the Government Chemist.
- Suter-Hofmann, M.; Schlatter, C.H. (1986) Toxicity of particulate emissions from a municipal incinerator: critique of the concept of TCDD-equivalents. *Chemosphere* 15:1733-1743.
- Svenson, A.; Kjeller, L.O.; Rappe, C. (1989) Enzyme-mediated formation of 2,3,7,8-tetrasubstituted chlorinated dibenzodioxins and dibenzofurans. *Environ. Sci. Technol.* 23(7):900-902.
- Sverdrup Corp. (1991) Chemetco, Inc., compliance testing, final report. St. Louis, MO: Sverdrup Corp. April 19, 1991.
- Swackhamer, D.L.; Armstrong, D.E. (1986) Estimation of the atmospheric and nonatmospheric contributions and losses of polychlorinated biphenyls for Lake Michigan on the basis of sediment records of remote lakes. *Environ. Sci. Technol.* 20 (9): 879-883.
- Swackhamer, D.L.; McVeety, B.D.; Hites, R.A. (1988) Deposition and evaporation of polychlorobiphenyl congeners to and from Siskiwit Lake, Isle Royale, Lake Superior. *Environ. Sci. Technol.* 22(6):664-672.
- Systems Application International (1995) MSWI database of all existing facilities in the U.S. Prepared in Sept. 1995 for U.S. Environmental Protection Agency, Office of Policy Analysis.

- Takeda, N.; Takaoka, M.; Fujiwara, T.; Takeyama, H.; Eguchi, S. (1998) Research on PCDDs/DFs emissions from crematories in Japan. *Organohalogen Compounds* 36:167-170.
- Takizawa, Y.; Asada, S.; Muto, H. (1994) Dioxins in dust fall and volcanic ash from the active volcanos Fugendake and Sakurajima. *Organohalogen Compounds* 20:359-362.
- Tanabe, S.; Kannan, N.; Wakimoto, T.; Tatsukawa, R. (1987) Method for the determination of three toxic non-orthochlorine substituted coplanar PCBs in environmental samples at part-per-trillion levels. *Intern. J. Environ. Anal. Chem.* 29:199-213.
- Tanabe, S. (1988) PCB problems in the future: foresight from current knowledge. *Environ. Pollut.* 50:5-28.
- Tashiro, C.; Clement, R.E.; Stocks, B.J.; Radke, L.; Cofer, W.R.; Ward, P. (1990) Preliminary report: dioxins and furans in prescribed burns. *Chemosphere* 20:1533-1536.
- Taylor, A.; Zannes, M. (1996) The 1996 IWSA municipal waste combustion directory of United States facilities. *Integrated Waste Services Association.* 16 pps.
- The Aluminum Association (1997) U.S. aluminum industry plant directory, November 1997. Washington, DC: The Aluminum Association.
- The Tobacco Institute (1995) Tobacco industry profile 1995. Washington, DC: The Tobacco Institute.
- The Vinyl Institute (1998) Dioxin characterization program. Phase I Report. Morristown, NJ: The Vinyl Institute. August 10, 1998.
- Thiesen, J.; Funcke, W.; Balfanz, E.; König, J. (1989) Determination of PCDFs and PCDDs in fire accidents and laboratory combustion tests involving PVC-containing materials. *Chemosphere* 19(1-6):423-428.
- Thoma, H.; Hutzinger, O. (1989) Content and formation of toxic products in flame retardants. Presented at: Workshop on Brominated Aromatic Flame Retardants. Skokloster, Sweden; October 24-26, 1989.
- Thomas, V.M.; Spiro, T.G. (1995) An estimation of dioxin emissions in the United States. *Toxicological and Environmental Chemistry* 50:1-37.
- Thomas, V.M.; Spiro, T.G. (1996) The U.S. dioxin inventory: are there missing sources. *Environ. Sci. Technol.* 30(2):82A-85A.



- Thompson, T.S.; Clement, R.E.; Thornton, N.; Luty, J. (1990) Formation and emission of PCDDs/PCDFs in the petroleum refining industry. *Chemosphere* 20(10-12):1525-1532.
- Thub, U.; Popp, P.; Ehrlich, C.; Kalkoff, W.D. (1995) Domestic lignite combustion as source of polychlorodibenzodioxins and furans (PCDD/F). *Chemosphere* 31(2):2591-2604.
- Tiernan, T.O.; Wagel, D.J.; Garrett, J.H.; Van Ness, G.F.; Solch, J.G.; Ernes, D.A. (1995) Determination of PCDD/PCDF in polyvinyl chloride (PVC) and in related manufacturing process samples. *Organohalogen Compounds* 23:65-68.
- Tolls, J.; McLachlan, M.S. (1994) Partitioning of semivolatile organic compounds between air and *Lolium multiflorum* (Welsh rye grass). *Environ. Sci. Technol.* 28(1):159-166.
- Tong, H.Y.; Gross, M.L.; Schechter, A.; Monson, S.J.; Dekin, A. (1990) Sources of dioxins in the environment: second stage study of PCDD/Fs in ancient human tissue and environmental samples. *Chemosphere* 20(7-9):987-992.
- Tosine, H.; Clement, R.; Osvacic, V.; Osborne, J.; Wong, C. (1983) Levels of chlorinated organics in a municipal incinerator. Presented before the Division of Environmental Chemistry, American Chemical Society 186th National Meeting, September, 1, 1983.
- Towara, J.; Hiller, B.; Hutzinger, O.; Kurz, J.; Klein, P. (1992) PCDD/F in distillation residues from dry cleaning machines. *Chemosphere* 25:1509.
- Trapp, S.; Matthies, M.; Scheunert, I.; Topp, E.M. (1990) *Environ. Sci. Technol.* 24:1246-1252.
- Two Rivers Region Council of Public Officials and Patrick Engineering, Inc. (1994) Emission characteristics of burn barrels. Prepared for U.S. Environmental Protection Agency, Region V.
- Tysklind, M.; Söderström; Rappe, C.; Hägerstedt, L-E.; Burström, E. (1989) PCDD and PCDF emissions from scrap metal melting processes at a steel mill. *Chemosphere* 19(1-6):705-710.
- Tysklind, M.; Rappe, C. (1991) Photolytic transformation of polychlorinated dioxins and dibenzofurans in fly ash. *Chemosphere* 23(8-10):1365-1375.
- Tysklind, M.; Carey, A.E.; Rappe, C.; Miller, G.C. (1992) Photolysis of OCDF and OCDD on soil. *Organohalogen Compounds* 8:293-296.
- Umlauf, G.; Horstmann, M.; Klein, P.; Kurz, J. (1993) Mass balance of PCDD/F in a dry cleaning machine. *Organohalogen Compounds* 11:413-416.

- Umweltbundesamt (1996) Determination of requirements to limit emissions of dioxins and furans. Report from the Working Group of the Subcommittee Air/Technology of the Federal Government/Federal States Immission Control Committee. Berlin, Germany.
- Urhahn, T.; Ballschmiter, K. (1998) Chemistry of the biosynthesis of halogenated methanes: Cl-Organohalogenes as pre-industrial chemical stressors in the environment. *Chemosphere* 37:1017-1032.
- U.S. Department of Agriculture (1970) Restricting the use of phenoxy herbicides - costs to farmers. Washington, DC: Economic Research Service and Agricultural Research Service. Agricultural Economic Report No. 194.
- U.S. Department of Agriculture (1971) Farmer's use of pesticides in 1971 and quantities. Washington, DC: Economics Research Service. Agricultural Economic Report No. 252.
- U.S. Department of Agriculture (1977) The pesticide review - 1975. Washington, DC: Agricultural Stabilization and Conservation Service.
- U.S. Department of Agriculture (1980) The biologic and economic assessment of pentachlorophenol, inorganic arsenicals, and creosote. Washington, DC: U.S. Department of Agriculture. Technical Bulletin No. 1658-1.
- U.S. Department of Agriculture (1995) Graphic highlights of natural resource trends in the United States between 1982 and 1992. Washington, DC: U.S. Department of Agriculture, Natural Resources Conservation Service, National Resources Inventory.
- U.S. Department of Agriculture (1996) Major land uses: 1945-1992. Washington, DC: U.S. Department of Agriculture, Economic Research Service.
- U.S. Department of Agriculture (1997) Tobacco leaf and products statistics and analysis. Washington, DC: U.S. Department of Agriculture, Economic Research Service.
- U.S. Department of Commerce (1990a) 1987 Census of manufactures. Smelting and refining of nonferrous metals and alloys. Washington, DC: Bureau of the Census. Report No. 33C-18.
- U.S. Department of Commerce (1990b) 1987 Census of manufacturers. Soap, cleaners, and toilet goods. Washington, DC: Bureau of the Census. Report No. MC-87-I-28D.
- U.S. Department of Commerce (1990c) 1987 Census of manufactures. Industrial inorganic chemicals. Washington, DC: Bureau of the Census. Report No. MC87-I-28A.
- U.S. Department of Commerce (1995a) Statistical abstract of the United States, 1995. 118th ed.

- U.S. Department of Commerce (1995b) 1992 Census of transportation. Truck inventory and use survey. Washington, DC: Bureau of the Census. Report No. TC92-T-52.
- U.S. Department of Commerce (1995c) 1992 Census of manufactures. Smelting and refining of nonferrous metals and alloys. Washington, DC: Bureau of the Census. Report No. MC92-I-33C.
- U.S. Department of Commerce (1995d) 1992 Census of manufactures. Blast furnaces, steel works, and rolling and finishing mills. Washington, DC: Bureau of the Census. Report No. MC92-I-33A.
- U.S. Department of Commerce (1996) 1992 Economic census report series - disc 1G. Washington, DC: Bureau of the Census. CD-EC92-1G.
- U.S. Department of Commerce (1997) Statistical abstract of the United States, 1997. 117th edition. Washington, DC: Bureau of the Census.
- U.S. Department of Health and Human Services (DHHS) (1989) Toxicology and carcinogenesis studies of two pentachlorophenol technical-grade mixtures in B6C3F1 mice (feed studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program. NIH Publication No. 89-2804.
- U.S. Environmental Protection Agency; Environment Canada (1991) The environmental characterization of RDF combustion technology. Mid-Connecticut facility, Hartford,CT. Test program and results, volume II., June 1991.
- U.S. Environmental Protection Agency (1975) Production, distribution, use and environmental impact potential of selected pesticides. Washington, DC: Office of Pesticide Programs and Office of Water and Hazardous Materials.
- U.S. Environmental Protection Agency (1977) Pesticide usage survey of agricultural, governmental, and industrial sectors in the United States, 1974. Washington, DC: Office of Pesticide Programs. EPA-540/9-78-007.
- U.S. Environmental Protection Agency. (1979) Polychlorinated biphenyls (PCBs) in manufacturing, processing, distribution in commerce, and use prohibition: Final rule. Federal Register 44:31514-31568.
- U.S. Environmental Protection Agency (1980) Materials balance for chlorophenols. Level I-preliminary. Washington, DC: Office of Toxic Substances. EPA-560/13-80-004.
- U.S. Environmental Protection Agency (1982a) Development document for effluent limitations guidelines and standards for the inorganic chemicals manufacturing point source category. Washington, DC: Office of Water Regulations and Standards. EPA 440/1-82/007.

- U.S. Environmental Protection Agency (1982b) Development document for effluent limitations guidelines and standards for the iron and steel manufacturing point source category. Volume II. Washington, DC: Office of Water. EPA-440/1-82/024.
- U.S. Environmental Protection Agency (1984) Thermal degradation products from dielectric fluids. Washington, DC: Office of Toxic Substances. EPA-560/5-84-009.
- U.S. Environmental Protection Agency (1987a) National dioxin study Tier 4 - combustion sources. Engineering analysis report. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA-450/4-84-014h.
- U.S. Environmental Protection Agency (1987b) Municipal waste combustion study. Characterization of the municipal waste combustion industry. Washington, DC: Office of Air and Radiation. EPA/530-SW-87-021b.
- U.S. Environmental Protection Agency (1987c) Locating and estimating air emissions from sources of polychlorinated biphenyls (PCB). Research Triangle Park, NC: Office of Air Quality Planning and Standards, EPA-450/4-84-007n.
- U.S. Environmental Protection Agency (1987d) Hospital waste combustion study: Data gathering phase. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA-450/3-88-017.
- U.S. Environmental Protection Agency. (1987e) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and dibenzofurans (CDDs and CDFs). EPA/625/3-87/012.
- U.S. Environmental Protection Agency (1988a) Estimating exposure to 2,3,7,8-TCDD. Washington, DC: Office of Health and Environmental Assessment. EPA/600/6-88/005A.
- U.S. Environmental Protection Agency (1988b) Pesticide assessment guidelines, subdivision D - product chemistry. Series 61-4, addendum 1 on data reporting. Washington, DC: Office of Pesticide Programs. NTIS No. PB88-191705.
- U.S. Environmental Protection Agency (1988c) Pesticide industry sales and usage: 1987 market estimates. Washington, DC: Office of Pesticide Programs.
- U.S. Environmental Protection Agency (1988d) U.S. EPA cooperative dioxin screening study. Washington, DC: Office of Water Regulations and Standards. EPA-440/1-88-025.
- U.S. Environmental Protection Agency (1989a) Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzo-p-dioxins and - dibenzofurans (CDDs and CDFs) and 1989 update. Washington, DC: Risk Assessment Forum. EPA/625/3-89/016.

- U.S. EPA. (1989b) Review of draft documents: a cancer risk-specific dose estimate for 2,3,7,8-TCDD. Washington, DC. EPA Science Advisory Board Ad Hoc Dioxin Panel.
- U.S. Environmental Protection Agency (1990a) Summary report on USEPA/Industry Cooperative Dioxin Study. "The 104 Mill Study." Washington, DC: Office of Water Regulations and Standards. July 1990.
- U.S. Environmental Protection Agency (1990b) Medical waste incineration emission test report. AMI Central Carolina Hospital, Sanford, North Carolina. Volume I. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EMB Report No. 90-MWI-5.
- U.S. Environmental Protection Agency (1990c) Characterization of municipal waste combustion ash, ash extracts, and leachates. Washington, DC: Office of Solid Waste and Emergency Response. EPA 530-SW-90-029A.
- U.S. Environmental Protection Agency (1990d) Operation and maintenance of hospital medical waste incinerators. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA/625/6-89/024.
- U.S. Environmental Protection Agency (1990e) Pesticides industry sales and usage: 1988 market estimates. Washington, DC: Office of Pesticides and Toxic Substances.
- U.S. Environmental Protection Agency (1990f) Emissions of metals, chromium and nickel species, and organics from municipal wastewater sludge incinerators. Cincinnati, OH: Office of Research and Development, Risk Reduction Engineering Laboratory. EPA Contract No. 68-CO-0027, Work Assignment No. 0-5.
- U.S. Environmental Protection Agency (1991a) Regulatory determination-landfills and surface impoundments receiving pulp and paper mill sludge. Washington, DC: Office of Solid Waste and Emergency Response. EPA/530-SW-91-077.
- U.S. Environmental Protection Agency (1991b) Methodology for assessing environmental releases of and exposure to municipal solid waste combustor residuals. Washington, DC: Office of Research and Development. EPA/600/8-91/031.
- U.S. Environmental Protection Agency (1991c) Medical waste incineration emission test report: Jordan Hospital, Plymouth, Massachusetts. Volume 1. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EMB Report 90-MWI-6.
- U.S. Environmental Protection Agency (1991d) Medical and institutional waste incineration: regulations, management, technology, emissions, and operations. Cincinnati, OH: Center for Environmental Research Information. EPA/625/4-91/030.

- U.S. Environmental Protection Agency (1991e) Medical waste incineration emission test report. Morristown Memorial Hospital, Morristown, New Jersey. Volume I. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EMB Report No. 91-MWI-8.
- U.S. Environmental Protection Agency (1991f) Medical waste incineration emission test report. Borgess Medical Center, Kalamazoo, Michigan. Volume I. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EMB Report 91-MWI-9.
- U.S. Environmental Protection Agency (1991g) Medical waste incineration emission test report: Cape Fear Memorial Hospital, Wilmington, NC; Volume I-III. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EMB Report 90-MWI-05.
- U.S. Environmental Protection Agency (1991h) Pesticides industry sales and usage: 1989 market estimates. Washington, DC: Office of Pesticides and Toxic Substances.
- U.S. Environmental Protection Agency. (1991i) Workshop report on toxicity equivalency factors for polychlorinated biphenyls congeners. EPA/625/3-91/020.
- U.S. Environmental Protection Agency (1992a) Markets for scrap tires. Washington, DC: Office of Solid Waste and Emergency Response. EPA/530-SW-90-074A.
- U.S. Environmental Protection Agency (1992b) Industry agrees to switch to low-dioxin chloranil from contaminated chloranil. Chemicals in Progress Bulletin 12(2):23.
- U.S. Environmental Protection Agency (1992c) 1990 National census of pulp, paper, and paperboard manufacturing facilities. Response to 308 questionnaire. Part A: Technical Information. Washington, DC: Office of Water.
- U.S. Environmental Protection Agency (1992d) Economic impact and preliminary regulatory impact analysis for proposed MACT-based emission standards and guidelines for municipal waste combustors. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA-450/3-91-029.
- U.S. Environmental Protection Agency (1992e) Secondary lead smelter emission test report, East Penn Manufacturing, Lyon Station, Pennsylvania. Research Triangle Park, NC: Office of Air Quality Planning and Standards, Emission Measurement Branch. EMB Report No. 92-SLS-3.
- U.S. Environmental Protection Agency (1992f) Pesticides industry sales and usage: 1990 and 1991 market estimates. Washington, DC: Office of Prevention, Pesticides and Toxic Substances. 733-K-92-001.

- U.S. Environmental Protection Agency (1993a) Interim report on data and methods for assessment of 2,3,7,8-tetrachlorodibenzo-p-dioxin risks to aquatic life and associated wildlife. Washington, DC: Office of Research and Development. EPA/600/R-93/055.
- U.S. Environmental Protection Agency (1993b) States support efforts on forming voluntary agreement on pulp and paper mill sludge. Chemicals in Progress Bulletin 14(3):20.
- U.S. Environmental Protection Agency (1993c) EPA publishes proposed rule for chloranil. Chemicals in Progress Bulletin 14(2):26.
- U.S. Environmental Protection Agency (1993d) Development document for proposed effluent limitations guidelines and standards for the pulp, paper and paperboard point source category. Washington, DC: Office of Water. EPA-821-R-93-019.
- U.S. Environmental Protection Agency (1993e) Economic analysis of impacts of integrated air/water regulations for the pulp and paper industry on disposal of wastewater sludge. Washington, DC: Office of Pollution Prevention and Toxics, Regulatory Impacts Branch.
- U.S. Environmental Protection Agency (1993f) Press advisory: EPA terminates special review of non-wood pesticide uses of pentachlorophenol. Washington, DC: Office of Pesticide Programs. January 8, 1993.
- U.S. Environmental Protection Agency (1993g) Report to Congress on cement kiln dust. Washington, DC: Office of Solid Waste. December 1993.
- U.S. Environmental Protection Agency (1993h) 1991 Toxics release inventory - public data release. Washington, DC: Office of Pollution Prevention and Toxics. EPA-745-R-93-003.
- U.S. Environmental Protection Agency (1993i) 1992 Needs survey report to Congress. Washington, DC: Office of Water. EPA-832-R-93-002.
- U.S. Environmental Protection Agency (1993j) Wildlife exposure factors, Vol. I. Washington, DC: Office of Health and Environmental Assessment, Office of Research and Development. EPA/600/R-93/187a.
- U.S. Environmental Protection Agency (1994a) Health assessment for 2,3,7,8-TCDD and related compounds. Public Review Draft. EPA/600/EP-92/001.
- U.S. Environmental Protection Agency (1994b) Pesticide industry sales and usage: 1992 and 1993 market estimates. Washington, DC: Office of Prevention, Pesticides and Toxic Substances. EPA 733-K-94-001.

- U.S. Environmental Protection Agency (1994c) Medical waste incinerators background information for proposed standards and guidelines: Industry profile report for new and existing facilities. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA-453/R-94-042a.
- U.S. Environmental Protection Agency (1994d) Medical waste incinerators-background information for proposed standards and guidelines: Environmental impacts report for new and existing facilities. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA-453/R-94-046a.
- U.S. Environmental Protection Agency (1994e) Universe of hazardous waste combustion facilities. Washington, DC: Office of Solid Waste and Emergency Response. EPA-530-F-94-030.
- U.S. Environmental Protection Agency (1994f) Combustion emissions technical resource document (CETRED). Washington, DC: Office of Solid Waste and Emergency Response. Draft Report. EPA/530-R-94-014.
- U.S. Environmental Protection Agency (1994g) Preliminary source assessment for the secondary copper smelting industry. Draft report. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA Contract No. 68-D1-118, Work Assignment Nos. 25, 40, and 46.
- U.S. Environmental Protection Agency (1994h) Secondary lead smelting industry: background information document for proposed standards. Final report. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EPA-450/R-94-024.
- U.S. Environmental Protection Agency (1995a) An SAB report: A second look at dioxin. Review of the Office of Research and Development's reassessment of dioxin and dioxin-like compounds by the Dioxin Reassessment Review Committee. Science Advisory Board (1400) September 1995. EPA-SAB-EC-95-021.
- U.S. Environmental Protection Agency (1995b) Compilation of air pollutant emission factors. 5th edition. Research Triangle Park, NC: Office of Air Quality Planning and Standards.
- U.S. Environmental Protection Agency (1995c) Locating and estimating air emissions from sources of dioxins and furans. Draft final report. Research Triangle Park, NC: Office of Air Quality Planning and Standards. Contract No. 68-D2-0160.
- U.S. Environmental Protection Agency (1995d) Final emission test report, HAP emission testing on selected sources at a secondary lead smelter, Tejas Resources, Inc., Terrell, Texas. Research Triangle Park, NC: Office of Air Quality Planning and Standards, Emission Measurement Branch. EMB Report No. 93-SLS-1.



- U.S. Environmental Protection Agency (1995e) Final emission test report, HAP emission testing on selected sources at a secondary lead smelter, Schuylkill Metals Corporation, Forest City, Missouri. Research Triangle Park, NC: Office of Air Quality Planning and Standards, Emission Measurement Branch. EMB Report No. 93-SLS-2.
- U.S. Environmental Protection Agency (1995f) SRRD's dioxin/furan status report. Washington, DC: Office of Pesticide Programs, Special Review and Reregistration Division. September 12, 1995.
- U.S. Environmental Protection Agency (1995g) 1993 Toxics release inventory - public data release. Washington, DC: Office of Pollution Prevention and Toxics. EPA-745-R-95-010.
- U.S. Environmental Protection Agency (1995h) Secondary aluminum plant emission test report: Rochester Aluminum Smelting Corporation. Research Triangle Park, NC: Office of Air Quality Planning and Standards. EMC Report 95-SAL-01.
- U.S. Environmental Protection Agency (1995i) Draft technical support document for HWC MACT standards. Volume II: HWC emissions database, Appendix A. Washington, DC: Office of Solid Waste and Emergency Response.
- U.S. Environmental Protection Agency (1996a) Percentile estimates used to develop the list of pollutants for round two of the Part 503 Regulation. Washington, DC: Office of Science and Technology. EPA Contract No. 68-C4-0046.
- U.S. Environmental Protection Agency (1996b) Municipal solid waste factbook, version 3.0. Washington, DC: Office of Solid Waste.
- U.S. Environmental Protection Agency (1996c) EPA OSW hazardous waste combustion data base. Washington, DC: U.S. EPA, Office of Solid Waste.
- U.S. Environmental Protection Agency (1996d) National dioxin emission estimates from municipal waste combustors. Research Triangle Park, NC: U.S. EPA, Office of Air Quality Planning and Standards. June 1996.
- U.S. Environmental Protection Agency (1996e) National dioxin emissions from medical waste incinerators. Research Triangle Park, NC: Office of Air Quality Planning and Standards. Docket #A-91-61, Item IV-A-007.
- U.S. Environmental Protection Agency (1996f) Emissions inventory of Section 112(c)(6) pollutants: polycyclic organic matter (POM), 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)/2,3,7,8-tetrachlorodibenzofuran (TCDF), polychlorinated biphenyl compounds (PCBs), hexachlorobenzene, mercury, and alkylated lead. Research Triangle Park, NC: Office of Air Quality Planning and Standards. September 1996.

- U.S. Environmental Protection Agency (1996g) PCBs: Cancer dose-response assessment and application to environmental mixtures. Washington, D.C.: Office of Research and Development. EPA/600/P-96/001.
- U.S. Environmental Protection Agency (1996h) Draft technical support document for hazardous waste combustor MACT standards. Volume I: Description of source categories. Washington, DC: Office of Solid Waste and Emergency Response. February 1996.
- U.S. Environmental Protection Agency (1996i) EIIP. Volume II: Chapter 3 - Preferred and alternative methods for estimating air emissions from hot-mix asphalt plants. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.
- U.S. Environmental Protection Agency (1997a) Chapter 8. Dose-response modeling for 2,3,7,8-TCDD. January 1997 Workshop Review Draft. EPA/600/P-92/001C8.
- U.S. Environmental Protection Agency (1997b) Locating and estimating air emissions from sources of dioxins and furans. Research Triangle Park, NC: Office of Air Quality Planning and Standards. DCN No. 95-298-130-54-01.
- U.S. Environmental Protection Agency (1997c) 1996 Clean Water Needs Survey Report to Congress. Washington, DC: Office of Water.
- U.S. Environmental Protection Agency (1997d) Draft technical support document for hazardous waste combustors MACT standards (NODA). Volume I: MACT evaluations based on revised database. Washington, DC: Office of Solid Waste and Emergency Response. April 1997.
- U.S. Environmental Protection Agency (1997e) Pesticide industry sales and usage: 1994 and 1995 market estimates. Washington, DC: Office of Prevention, Pesticides and Toxic Substances. EPA-733-R-97-002.
- U.S. Environmental Protection Agency (1997f) Supplemental technical development document for effluent limitations guidelines and standards for the pulp, paper, and paperboard category. Washington, DC: Office of Water. EPA-821-R-97-011.
- U.S. Environmental Protection Agency (1998a) Inventory of sources of dioxin in the United States. National Center for Environmental Assessment, Office of Research and Development. Workshop Review Draft. EPA/600/P-98/002Aa.
- U.S. Environmental Protection Agency (1998b) 1996 Toxics release inventory--public data release. Washington, DC: Office of Pollution Prevention and Toxics. EPA 745-R-98-005.

- U.S. Environmental Protection Agency (1998c) AP-42: Compilation of air pollutant emissions factors. Volume I: stationary point and area sources. Supplement D to the 5th edition. Research Triangle Park, NC: U.S. EPA, Office of Air Quality Planning and Standards.
- U.S. Environmental Protection Agency (1999a) Monthly reporting of CDD/CDF content in technical pentachlorophenol manufactured by KMG-Bermuth, Inc. and Vulcan Chemicals, 1987 to 1999. Washington, DC: Office of Pesticide Programs.
- U.S. Environmental Protection Agency (1999b) Technical background document for the Report to Congress on remaining wastes from fossil fuel combustion: waste characterization. Washington, DC: Office of Solid Waste and Emergency Response.
- U.S. Environmental Protection Agency (1999c) Technical background document for the Report to Congress on remaining wastes from fuel combustion: industry statistics and waste management practices. Washington, DC: Office of Solid Waste and Emergency Response.
- U.S. Environmental Protection Agency (1999d) EPA OSWER hazardous waste combustor emissions data base. Washington, DC: Office of Solid Waste and Emergency Response.
- U.S. Environmental Protection Agency (2000a) E-mail from John Bachmann (EPA/OAQPS) to Dwain Winters (EPA/OPPT). Revised MWI, MWC dioxin estimates. May 1, 2000.
- U.S. Environmental Protection Agency (2000b). Exposure and human health reassessment of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and related compounds. Part 1: Estimating exposure to dioxin-like compounds. Washington, DC: National Center for Environmental Assessment, Office of Research and Development. EPA/600/P-00/001B(b-d).
- U.S. Environmental Protection Agency (2000c). Exposure and human health reassessment of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and related compounds. Part 2: Health assessment for 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and related compounds. Washington, DC: National Center for Environmental Assessment, Office of Research and Development. EPA/600/P-00/001Be.
- U.S. Environmental Protection Agency (2000d). Exposure and human health reassessment of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and related compounds. Part 3: Dioxin: Integrated summary and risk characterization for 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and related compounds. Washington, DC: National Center for Environmental Assessment, Office of Research and Development. EPA/600/P-00/001Bf.

- U.S. Geological Survey (1997a) Minerals yearbook: recycling - nonferrous metals chapter. Reston, VA: U.S Geological Survey, Geologic Division.
- U.S. Geological Survey (1997b) Mineral commodity survey - iron and steel scrap. Washington, DC: U.S. Department of the Interior, U.S. Geological Survey.
- U.S. Geological Survey (1997c) Statistical compendium: copper. Washington, DC: U.S. Department of the Interior, U.S. Geological Survey.
- U.S. Geological Survey (1997d) Statistical compendium - aluminum. Reston, VA: U.S. Geological Survey, Geologic Division.
- U.S. Geological Survey (1997e) Mineral commodities summary - aluminum. Reston, VA: U.S. Geological Survey, Geologic Division.
- U.S. Geological Survey (1997f) Statistical compendium - titanium. Reston, VA: U.S. Geological Survey, Geologic Division.
- U.S. International Trade Commission (1946 through 1994) Synthetic organic chemicals - United States production and sales. Washington, DC: U.S. International Trade Commission.
- U.S. International Trade Commission (1984) Imports of benzenoid chemicals and products 1983; investigation no. 332-135. Washington, DC: U.S. International Trade Commission. USITC Publication No. 1548.
- Van den Berg, M.; Birnbaum, L.; Bosveld, A.T.C.; Brunstrom, B.; Cook, P.; Feeley, M.; Giesy, J.P.; Hanberg, A.; Hasegawa, R.; Kennedy, S.W.; Kubiak, T.; Larsen, J.C.; van Leeuwen, F.X.R.; Liem, A.K.D.; Nolt, C.; Peterson, R.E.; Poellinger, L.; Safe, S.; Schrenk, D.; Tillitt, D.; Tysklind, M.; Younes, M.; Warn, F.; Zacharewski, T. (1998) Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. *Environmental Health Perspectives*. 106:775-792.
- Van Dort, H.M.; Bedard, D.L. (1991) Reductive ortho and meta dechlorination of a polychlorinated biphenyl congener by anaerobic microorganisms. *Appl. Environ. Microbiol.* 57:1576-1578.
- Van Oostdam, J.C.; Ward, J.E.H. (1995) Dioxins and furans in the British Columbia environment. Victoria, British Columbia: BC Environment, Environmental Protection Department.
- Van Wijnen, J.H.; Liem, A.K.D.; Olie, K.; van Zorge, J.A. (1992) Soil contamination with PCDDs and PCDFs of small (illegal) scrap wire and scrap car incineration sites. *Chemosphere* 24(2):127-134.
- Vermont Air Pollution Control Division (1996) Source emission test at Safety Medical Systems, Colchester, VT. Waterbury, VT: State of Vermont, Agency of Natural Resources, Air Pollution Control Division.

- Versar, Inc. (1976) PCBs in the United States: industrial use and environmental distribution. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA Contract No. 68-01-3259, Task I.
- Versar, Inc. (1985) List of chemicals contaminated or precursors to contamination with incidentally generated polychlorinated and polybrominated dibenzodioxins and dibenzofurans. EPA Contract No. 68-02-3968, Task No. 48.
- Versar, Inc. (1988) PCB exposure assessment of scrap/salvage facilities. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA Contract No. 68-02-4254. Task No. 136.
- Vikelsee, J.; Madsen, H.; Hansen, K. (1993) Emission of dioxins from Danish wood-stoves. *Organohalogen Compounds* 11:405-408.
- Vikelsee, J.; Lassen, P.; Johansen, E.; Carlsen, L. (1994) Formation of PCDD/PCDFs via an enzymatically mediated chlorination of humic acids. *Organohalogen Compounds* 20:351-354.
- Villanueva, E.C.; Jennings, R.W.; Burse, V.W.; Kimbrough, R.D. (1974) Evidence of chlorodibenzo-p-dioxin and chlorodibenzofuran in hexachlorobenzene. *J. Agr. Food Chem.* 22(5):916-917.
- Viraraghavan, T.; Slough, K. (1999) Sorption of pentachlorophenol on peat-bentonite mixtures. *Chemosphere* 39:1487-1496.
- Virta, R. L. (2000) Clays. U.S. Geological Survey, Mineral Commodity Summaries. February 2000. Available on the USGS Internet site: <http://www.usgs.gov/>.
- Vogg, H.; Metzger, M.; Steiglitz, L. (1987) Recent findings on the formation and decomposition of PCDD/PCDF in municipal solid waste incineration. *Waste Management and Research* 5(3):285-294.
- Vogg, H; Nunsinger, H., Merz, A; Stieglitz, L. (1992) Influencing the production of dioxin/furan in solid waste incineration plants by measures affecting the combustion as well as the flue gas cleaning systems. *Chemosphere* 25(1-2):149-152.
- Vollmuth, S.; Zajc, A.; Niessner, R. (1994) Formation of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans during the photolysis of pentachlorophenol-containing water. *Environ. Sci. Technol.* 28(6):1145-1149.
- Waddell, D.S.; Boneck-Ociesa, H.; Gobran, T.; Ho, T.F.; Botton, J.R. (1995) PCDD/PCDF formation by UV photolysis of pentachlorophenol with and without the addition of hydrogen peroxide. *Organohalogen Compounds* 23:407-412.
- Wagner, H.C.; Schramm, K.W.; Hutzinger, O. (1990) Biogenic polychlorinated dioxin and furan from trichlorophenol. *Organohalogen Compounds* 3:453-456.

- Wagner, J.C.; Green, A.E.S. (1993) Correlation of chlorinated organic compound emissions from incineration with chlorinated organic input. *Chemosphere* 26 (11): 2039-2054.
- Walsh, P.J.J.; Brimblecombe, P.; Creaser, C.S.; Olphert, R. (1994) Biomass burning and polychlorinated dibenzo-p-dioxins & furans in soil. *Organohalogen Compounds* (20):283-287.
- Wan, M.T. (1995) Treated wood as a source of dioxin/furan releases. *Organohalogen Compounds* 24:109-114.
- Wan, M.T.; Van Oostdam, J. (1995) Utility and railway rights-of-way contaminants: dioxins and furans. *J. Environ. Qual.* 24:257-265.
- Ward, D.E.; McMahon, C.K.; Johansen, R.W. (1976) An update on particulate emissions from forest fires. Presented at: 69th Annual Meeting of the Air Pollution Control Association. Portland, OR. June 27-July 1, 1976.
- Ward, D.E.; Peterson, J.; Hao, W.M. (1993) An inventory of particulate matter and air toxic emissions from prescribed fires in the USA for 1989. Presented at: 86th Annual Meeting & Exhibition, Air & Waste Management Association; Denver, Colorado; June 1993.
- Washington State Department of Ecology (1998) Washington State dioxin source assessment. Publication No. 98-320.
- Watanabe, I; Tatsukawa, R. (1987) Formation of brominated dibenzofurans from the photolysis of flame retardant decabromobiphenyl ether in hexane solution by UV and sun light. *Bull. Environ. Contam. Toxicol.* 39:953-959.
- Water Pollution Control Federation (1990) Operation of municipal wastewater treatment plants. Manual of Practice No. 11. Alexandria, VA: Water Pollution Control Federation.
- Weber, H.; Disse, G.; Hamann, R.; Haupt, H.J. (1995) Influence of the aerobic and anaerobic digestion on the levels of chlorinated dibenzofurans and dibenzodioxins in sewage sludge. *Organohalogen Compounds* 24:81-85.
- Weber, P.; Altwicker, E.; Dinjus, E.; Stieglitz, L. (1999) The role of aliphatic organic chlorine in the formation of PCDD/PCDF on fly ash in comparison to inorganic chlorine. *Organohalogen Compounds* 41:11-14.
- Weber, R.; Hagenmaier, H. (1999) Mechanism of formation of polychlorinated dibenzo-p-dioxins and dibenzofurans from chlorophenols in gas phase reactions. *Chemosphere* 38:529-549.
- Welsch-Pausch, K.; McLachlan, M.S. (1995) Photodegradation of PCDD/Fs on pasture grass. *Organohalogen Compounds* 24:509-512.

- Welsch-Pausch, K.; McLachlan, M.S.; Umlauf, G. (1995) Determination of the principal pathways of polychlorinated dibenzo-p-dioxins and dibenzofurans to *Lolium multiflorum* (Welsh Ray Grass). *Environ. Sci. Technol.* 29:1090-1098.
- Wenning, R.J.; Harris, M.A.; Paustenbach, D.J.; Bedbury, H. (1992) Potential sources of 1,2,8,9-tetrachlorodibenzo-p-dioxin in the aquatic environment. *Ecotoxicology and Environmental Safety* 23:133-146.
- Western Environmental Services and Testing, Inc. (2000) Magnesium Corporation of America, Rowley, Utah. Polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans. Melt reactor and cathode stacks. May 2000. File Number 00-1043.
- Wevers, M.; De Fre, R.; Rymen, T. (1992) Dioxins and dibenzofurans in tunnel air. Volume 9 (Sources of Exposure) of Extended Abstracts. *Organohalogen Compounds* 9:321-324.
- Wevers, M.; De Fre, R. (1995) Estimated evolution of dioxin emissions in Belgium from 1988 to 1995. *Organohalogen Compounds* 24:105-108.
- Whitman, W.G. (1927) The two-film theory of gas absorption. *Chemical & Metallurgical Engineering*. 29 (4): 146-148.
- WHO (World Health Organization) (1991) IARC monographs on the evaluation of carcinogenic risks to humans: occupational exposures in insecticide application, and some pesticides. Geneva, Switzerland: World Health Organization, International Agency for Research on Cancer.
- Wichmann, H.; Zelinski, V.; Scholz-Böttcher, B.; Lorenz, W.; Bahadir, M. (1993) Sampling strategy to investigate the distribution behavior of low volatile pollutants like "dioxins" during vehicle fires in traffic tunnels. *Chemosphere* 26(6):1159-1166.
- Wichmann, H.; Lorenz, W.; Bahadir, M. (1995) Release of PCDD/F and PAH during vehicle fires in traffic tunnels. *Chemosphere* 31(2):2755-2766.
- Wienecke, J.; Kruse, H.; Wassermann, O. (1992) Organic compounds in the flue gas from a power station with circulatory fluid bed combustion of coal. *Chemosphere* 25(12):1889-1895.
- Wikstrom, E.; Lofvenius, G.; Rappe, C.; Marklund, S. (1996) Influence of level and form of chlorine on the formation of chlorinated dioxins, dibenzofurans, and benzenes during combustion of an artificial fuel in a laboratory reactor. *Environ. Sci. Technol.* 30: 1637-1644.
- Wikstrom, E.; Persson, A.; Marklund, S. (1998) Secondary formation of PCDDs, PCDFs, PCBs, PCBzs, PHPs and PAHs during MSW combustion. *Organohalogen Compounds* 36:65-68.

- Wilken, M.; Cornelsen, B.; Zeschmar-Lahl, B.; Jager, J. (1992) Distribution of PCDD/PCDF and other organochlorine compounds in different municipal solid waste fractions. *Chemosphere* 25:1517-1523.
- Williams, C.H.; Prescott, C.L.; Stewart, P.B.; Choudhary, G. (1985) Formation of polychlorinated dibenzofurans and other potentially toxic chlorinated pyrolysis products in PCB fires. In: Keith, L.H.; Rappe, C.; Choudhary, G., eds., *Chlorinated dioxins and dibenzofurans in the total environment II*. Boston, MA: Butterworth Publishers.
- Williams, D.T.; LeBel, G.L.; Benoit, F.M. (1992) Polychlorodibenzodioxins and polychlorodibenzofurans in dioxazine dyes and pigments. *Chemosphere* 24(2):169-180.
- Wittsiepe, J.; Kullmann, Y.; Schrey, P.; Wilhelm, M.; Selenka, F. (1998) Myeloperoxidase - catalyzed formation of PCDD/F from chlorophenols. *Organohalogen Compounds* 36:351-356.
- Woolson, E.A.; Thomas, R.F.; Ensor, P.D.J. (1972) Survey of polychlorodibenzo-p-dioxin content in selected pesticides. *J. Agr. Food Chem.* 20(2):351-354.
- Wunsch, P.; Leichenring, S.; Schramm, K.; Kettrup, A. (1994) Temperature dependence of PCDD/F-formation in boiler ash. *Chemosphere* 29 (6): 1235-1243.
- Yamamoto, T.; Fukushima, M. (1992) Modeling study on contribution of combustion source complex to PCDD/CDF levels in urban air. *Organohalogen Compounds* 9:343-346.
- Younes, M. (1998) WHO toxic equivalency factors (TEFs) for dioxin-like compounds for humans and wildlife. Summary of WHO meeting held in Stockholm, Sweden on June 15-18. World Health Organization, International Programme on Chemical Safety.
- Young, A.L. (1983) Long-term studies on the persistence and movement of TCDD in a natural ecosystem. In: *Human and environmental risks of chlorinated dibenzodioxins and related compounds*. Tucker, R.E.; Young, A.L.; Gray, A.P., Eds. Plenum Press.
- Zenith Research Group (2000) Summary report on burn barrels. Prepared for the Western Lake Superior Sanitary District (Minnesota). January 18, 2000.
- Zheng, M-H.; Liu, P-Y.; Xu, X-B. (1999) Mechanism of formation of polychlorinated biphenyls from the pyrolysis of chlorobenzenes. *Organohalogen Compounds* 41:15-18.