

Provisional Peer-Reviewed Toxicity Values for

Endrin Ketone
(CASRN 53494-70-5)

Superfund Health Risk Technical Support Center
National Center for Environmental Assessment
Office of Research and Development
U.S. Environmental Protection Agency
Cincinnati, OH 45268

AUTHORS, CONTRIBUTORS, AND REVIEWERS

CHEMICAL MANAGER

J. Phillip Kaiser, PhD, National Center for Environmental Assessment, Cincinnati, OH

DRAFT DOCUMENT PREPARED BY

National Center for Environmental Assessment, Cincinnati, OH

This document was externally peer reviewed under contract to
Eastern Research Group, Inc.
110 Hartwell Avenue
Lexington, MA 02421-3136

Questions regarding the contents of this document may be directed to the U.S. EPA Office of Research and Development's National Center for Environmental Assessment, Superfund Health Risk Technical Support Center (513-569-7300).

TABLE OF CONTENTS

COMMONLY USED ABBREVIATIONS	ii
BACKGROUND	1
DISCLAIMERS	1
QUESTIONS REGARDING PPRTVS	1
INTRODUCTION	2
REVIEW OF POTENTIALLY RELEVANT DATA (CANCER AND NONCANCER).....	3
DERIVATION OF PROVISIONAL VALUES	3
CANCER WOE DESCRIPTOR.....	3
MODE-OF-ACTION (MOA) DISCUSSION	3
REFERENCES	3

COMMONLY USED ABBREVIATIONS

BMC	benchmark concentration
BMCL	benchmark concentration lower bound 95% confidence interval
BMD	benchmark dose
BMDL	benchmark dose lower bound 95% confidence interval
HEC	human equivalent concentration
HED	human equivalent dose
IUR	inhalation unit risk
LOAEL	lowest-observed-adverse-effect level
LOAEL _{ADJ}	LOAEL adjusted to continuous exposure duration
LOAEL _{HEC}	LOAEL adjusted for dosimetric differences across species to a human
NOAEL	no-observed-adverse-effect level
NOAEL _{ADJ}	NOAEL adjusted to continuous exposure duration
NOAEL _{HEC}	NOAEL adjusted for dosimetric differences across species to a human
NOEL	no-observed-effect level
OSF	oral slope factor
p-IUR	provisional inhalation unit risk
POD	point of departure
p-OSF	provisional oral slope factor
p-RfC	provisional reference concentration (inhalation)
p-RfD	provisional reference dose (oral)
RfC	reference concentration (inhalation)
RfD	reference dose (oral)
UF	uncertainty factor
UF _A	animal-to-human uncertainty factor
UF _C	composite uncertainty factor
UF _D	incomplete-to-complete database uncertainty factor
UF _H	interhuman uncertainty factor
UF _L	LOAEL-to-NOAEL uncertainty factor
UF _S	subchronic-to-chronic uncertainty factor
WOE	weight of evidence

PROVISIONAL PEER-REVIEWED TOXICITY VALUES FOR ENDRIN KETONE (CASRN 53494-70-5)

BACKGROUND

A Provisional Peer-Reviewed Toxicity Value (PPRTV) is defined as a toxicity value derived for use in the Superfund Program. PPRTVs are derived after a review of the relevant scientific literature using established Agency guidance on human health toxicity value derivations. All PPRTV assessments receive internal review by a standing panel of National Center for Environment Assessment (NCEA) scientists and an independent external peer review by three scientific experts.

The purpose of this document is to provide support for the hazard and dose-response assessment pertaining to chronic and subchronic exposures to substances of concern, to present the major conclusions reached in the hazard identification and derivation of the PPRTVs, and to characterize the overall confidence in these conclusions and toxicity values. It is not intended to be a comprehensive treatise on the chemical or toxicological nature of this substance.

The PPRTV review process provides needed toxicity values in a quick turnaround timeframe while maintaining scientific quality. PPRTV assessments are updated approximately on a 5-year cycle for new data or methodologies that might impact the toxicity values or characterization of potential for adverse human health effects and are revised as appropriate. It is important to utilize the PPRTV database (<http://hhpprtv.ornl.gov>) to obtain the current information available. When a final Integrated Risk Information System (IRIS) assessment is made publicly available on the Internet (www.epa.gov/iris), the respective PPRTVs are removed from the database.

DISCLAIMERS

The PPRTV document provides toxicity values and information about the adverse effects of the chemical and the evidence on which the value is based, including the strengths and limitations of the data. All users are advised to review the information provided in this document to ensure that the PPRTV used is appropriate for the types of exposures and circumstances at the site in question and the risk management decision that would be supported by the risk assessment.

Other U.S. Environmental Protection Agency (EPA) programs or external parties who may choose to use PPRTVs are advised that Superfund resources will not generally be used to respond to challenges, if any, of PPRTVs used in a context outside of the Superfund program.

QUESTIONS REGARDING PPRTVS

Questions regarding the contents and appropriate use of this PPRTV assessment should be directed to the EPA Office of Research and Development's National Center for Environmental Assessment, Superfund Health Risk Technical Support Center (513-569-7300).

INTRODUCTION

No reference dose (RfD), reference concentration (RfC), or cancer assessment for endrin ketone is included in the U.S. Environmental Protection Agency (U.S. EPA) Integrated Risk Information System (IRIS) (U.S. EPA, 2011a) or on the Drinking Water Standards and Health Advisories List (U.S. EPA, 2011b). No RfD or RfC values are reported in the Health Effects Assessment Summary Tables (HEAST) (U.S. EPA, 2011c). The Chemical Assessments and Related Activities (CARA) list does not include a Health and Environmental Effects Profile (HEEP) for endrin ketone (U.S. EPA, 1994). The toxicity of endrin ketone has not been independently reviewed by the Agency for Toxic Substances and Disease Registry (ATSDR, 2011) or the World Health Organization (WHO, 2011). However, because endrin ketone is a major breakdown product of endrin, assessments of the parent compound include studies with human exposure and/or toxicity data for endrin ketone when available (i.e., ATSDR 1996 and WHO 2004). The California Environmental Protection Agency (CalEPA, 2008, 2011) has not derived toxicity values for exposure to endrin ketone. No occupational exposure limits for endrin ketone have been derived or recommended by the American Conference of Governmental Industrial Hygienists (ACGIH, 2011), the National Institute for Occupational Safety and Health (NIOSH, 2007), or the Occupational Safety and Health Administration (OSHA, 2006).

The HEAST (U.S. EPA, 2011c) does not report a U.S. EPA (1986) cancer weight-of-evidence classification (WOE) for endrin ketone. The International Agency for Research on Cancer (IARC, 2011) has not reviewed the carcinogenic potential of endrin ketone. Endrin ketone is not included in the *12th Report on Carcinogens* (NTP, 2011). CalEPA (2009) has not prepared a quantitative estimate of the carcinogenic potential of endrin ketone.

Literature searches were conducted on sources published from 1900 through April 2012 for studies relevant to the derivation of provisional toxicity values for endrin ketone, CAS No. 53494-70-5. Searches were conducted using U.S. EPA's Health and Environmental Research Online (HERO) database of scientific literature. HERO searches the following databases: AGRICOLA; American Chemical Society; BioOne; Cochrane Library; DOE: Energy Information Administration, Information Bridge, and Energy Citations Database; EBSCO: Academic Search Complete; GeoRef Preview; GPO: Government Printing Office; Informaworld; IngentaConnect; J-STAGE: Japan Science & Technology; JSTOR: Mathematics & Statistics and Life Sciences; NSCEP/NEPIS (EPA publications available through the National Service Center for Environmental Publications [NSCEP] and National Environmental Publications Internet Site [NEPIS] database); PubMed: MEDLINE and CANCERLIT databases; SAGE; Science Direct; Scirus; Scitopia; SpringerLink; TOXNET (Toxicology Data Network): ANEUP, CCRIS, ChemIDplus, CIS, CRISP, DART, EMIC, EPIDEM, ETICBACK, FEDRIP, GENE-TOX, HAPAB, HEEP, HMT, HSDB, IRIS, ITER, LactMed, Multi-Database Search, NIOSH, NTIS, PESTAB, PPBIB, RISKLINE, TRI; and TSCATS; Virtual Health Library; Web of Science (searches Current Content database among others); World Health Organization; and Worldwide Science. The following databases outside of HERO were searched for toxicity values: ACGIH, ATSDR, CalEPA, U.S. EPA IRIS, U.S. EPA HEAST, U.S. EPA HEEP, U.S. EPA OW, U.S. EPA TSCATS/TSCATS2, NIOSH, NTP, OSHA, and RTECS.

REVIEW OF POTENTIALLY RELEVANT DATA (CANCER AND NONCANCER)

No usable information is available regarding repeat-dose oral or inhalation exposure of humans or animals to endrin ketone. A material safety data sheet reports an oral LD₅₀ of 10 mg/kg in rats (CHEMWATCH, 2008), but the study giving rise to the value is not indentified, nor was it able to be located. However, an LD₅₀ having the same value and species (10 mg/kg in rat) is present in an ATSDR (1996) report, but the value listed is for endrin—not endrin ketone. There is one available short-term study in rats. The study by Young and Mehendale (1986) exposed three male and female rats via diet for 15 days to endrin ketone at a concentration of 5 ppm. This study cannot be used as a principal study to derive a reference value for endrin ketone because it only employs a single dose for a short-term duration.

DERIVATION OF PROVISIONAL VALUES

Limitations in the available data preclude development of cancer and noncancer toxicity values.

CANCER WOE DESCRIPTOR

Limitations in the available data preclude development of a WOE descriptor.

MODE-OF-ACTION (MOA) DISCUSSION

Limitations in the available data preclude determination of a MOA discussion.

REFERENCES

ACGIH (American Conference of Governmental Industrial Hygienists). (2011) 2011 TLVs and BEIs: Based on the documentation of the threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: ACGIH. Available online at <http://www.acgih.org/store/ProductDetail.cfm?id=2147>. 783980.

ATSDR (Agency for Toxic Substances and Disease Registry). (1996) Toxicological profile for endrin. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA. Available online at <http://www.atsdr.cdc.gov/ToxProfiles/tp89.pdf>. 784052.

ATSDR (Agency for Toxic Substances and Disease Registry). (2011) Toxicological profile information sheet. U.S. Department of Health and Human Services, Public Health Service, Atlanta, GA. Available online at <http://www.atsdr.cdc.gov/toxprofiles/index.asp>. Accessed on September 8, 2011. 684152.

CalEPA (California Environmental Protection Agency). (2008) All OEHHA acute, 8-hour and chronic reference exposure levels (chRELS) as on December 18, 2008. Office of Environmental Health Hazard Assessment, Sacramento, CA. Available online at <http://www.oehha.ca.gov/air/allrels.html>. Accessed on September 8, 2011. [595416](#).

CalEPA (California Environmental Protection Agency). (2009) Hot spots unit risk and cancer potency values. Appendix A. Office of Environmental Health Hazard Assessment, California, CA. Available online at http://www.oehha.ca.gov/air/hot_spots/2009/AppendixA.pdf. [684164](#).

CalEPA (California Environmental Protection Agency). (2011) OEHHA toxicity criteria database. Office of Environmental Health Hazard Assessment, Sacramento, CA. Available online at <http://www.oehha.ca.gov/tcdb>. Accessed on September 8, 2011. [783987](#).

CHEMWATCH. (2008) Endrin ketone. Material safety sheet, sc-257412. Santa Cruz Biotechnology, Inc, Santa Cruz, CA. Available online at <http://datasheets.scbt.com/sc-257412.pdf>.

IARC (International Agency for Research on Cancer). (2011) IARC monographs on the evaluation of carcinogenic risks to humans. Available online at <http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php>. Accessed on September 8, 2011. [783869](#).

NIOSH (National Institute for Occupational Safety and Health). (2007) NIOSH pocket guide to chemical hazards. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH; DHHS (NIOSH) publication no. 2005-149. Available online at <http://www.cdc.gov/niosh/docs/2005-149/>. Accessed on September 8, 2011. [192177](#).

NTP (National Toxicology Program). (2011) Report on carcinogens, twelfth edition. U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health, Research Triangle Park, NC. Available online at <http://ntp.niehs.nih.gov/ntp/roc/twelfth/roc12.pdf>. Accessed on September 8, 2011. [737606](#).

OSHA (Occupational Safety and Health Administration). (2006) Table Z-1 limits for air contaminants: occupational safety and health standards, subpart Z, toxic and hazardous substances. U.S. Department of Labor, Washington, DC; OSHA Standard 1910.1000. Available online at http://63.234.227.130/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9992. Accessed on September 8, 2011. [670067](#).

U.S. EPA (Environmental Protection Agency). (1986) Guidelines for carcinogen risk assessment. Risk Assessment Forum, Washington, DC; EPA/630/R-00/004. September 1986. Available online at http://epa.gov/raf/publications/pdfs/CA%20GUIDELINES_1986.PDF. [199530](#).

U.S. EPA (Environmental Protection Agency). (1994) Chemical assessments and related activities (CARA). Office of Health and Environmental Assessment, Washington, DC; EPA/600/R-94/904. Available online at nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=60001G8L.txt. [596444](#).

U.S. EPA (Environmental Protection Agency). (2011a) Integrated risk information system (IRIS). Office of Research and Development, National Center for Environmental Assessment, Washington, DC. Available online at <http://www.epa.gov/iris/>. Accessed September 8, 2011. [003752](#).

U.S. EPA (Environmental Protection Agency). (2011b) 2011 Edition of the drinking water standards and health advisories. Office of Water, Washington, DC; EPA/820/R-11/002. Available online at http://water.epa.gov/action/advisories/drinking/drinking_index.cfm. Accessed September 8, 2011. [783978](#).

U.S. EPA (Environmental Protection Agency). (2011c) Health effects assessment summary tables (HEAST). Office of Research and Development, Office of Emergency and Remedial Response, Washington, DC. Available online at <http://epa-heat.ornl.gov/>. Accessed on September 8, 2011. [595422](#).

WHO (World Health Organization). (2004) Endrin in drinking-water: background document for development of WHO guidelines for drinking-water quality. WHO/SDE/WSH/03.04/93, WHO, Geneva, Switzerland. Available online at http://www.who.int/water_sanitation_health/dwq/chemicals/endrin/en/. Accessed September 8, 2011. [783977](#).

WHO (World Health Organization). (2011) Online catalogs for the Environmental Health Criteria series. Available online at http://www.who.int/topics/environmental_health/en/. Accessed September 8, 2011. [595424](#).

Young, RA; Mehendale, HM. (1986) Effect of endrin and endrin derivatives on hepatobiliary function and carbon tetrachloride-induced hepatotoxicity in male and female rats. *Fd Chem Toxic* 24(8):863–868. [784047](#).